

dapro

***Safety** inspires **confidence**.*
***Confidence** inspires **achievement**.*

www.dapro-safety.com

/Dapro-Safety

@Dapro_Safety

/DaproSafety

@Dapro_Safety

@DaproSafety

/Dapro_Safety

@DaproSafety

TABLE OF CONTENTS

DAPRO SAFETY
Company Profile 3
Tailor-Made 5
Private Label 6
3-Layer system 7
Eco friendly manufacturing 9
Quality testing 10
Certification Information 11
Overview Workwear 13
Overview Outerwear & Base Layer 14
Overview Footwear Platinum & Sports Range 15
Overview Footwear High, Mid & Value Range 16

WORKWEAR 17
Dapro Toughwear 2 Coverall Kneepads 19
Dapro Industry Coverall 25
Dapro Roughneck Coverall 26
Dapro Roughneck Bib 32
Dapro Roughneck Jacket 34
Dapro Roughneck Pant 37
Dapro Diamond Coverall 40
Dapro Diamond Jacket 44
Dapro Diamond Pant 45
Dapro Spark Coverall 46
Dapro Spark Bib 49
Dapro Spark Jacket 50
Dapro Spark Pant 51
Dapro Rope Access Coverall 52
Dapro Globe-Tech Coverall 54
Dapro Globe-Tech Bib 55
Dapro Globe-Tech Jacket 56
Dapro Globe-Tech Pant 57
Dapro Globe-Tech Polo 58
Dapro Globe-Tech Shirt 59
Dapro Globe-Tech Sweater 60
Dapro Volt Hi-Vis Class 2 Coverall 61
Dapro Worker 1 Coverall Kneepads 62
Dapro Worker 2 Coverall 66

OUTERWEAR 69
Dapro Infinity Jacket 71
Dapro C9 Hood 75
Dapro PU Hydrolite Rainsuit 76
Dapro Globe-Tech Jacket 77
Dapro Spectre Softshell Jacket 78
Dapro Protector Coverall Reflect 79
Dapro Protector Bib 80
Dapro Protector Pant 82
Dapro Protector Bodywarmer 85
Dapro Basic Fleece 88
Dapro Defender Fleece 89

BASE LAYER 91
Dapro Balaclava 93
Dapro Frost Multi-Use Neck Protector 94
Dapro Frost Shirt 95
Dapro Frost Pant 96

KIDS 97
Dapro Kids Coverall 99

EYEWEAR 102
Dapro Offshore Glasses 103

ACCESSORIES 105
Dapro Kneepads 106
Dapro Offshore Bag 107
Dapro Phoenix Socks 108

FOOTWEAR 110
Dapro Baron S3 C 112
Dapro Noble S3 C 113
Dapro Noble Welding S3 C 115
Dapro Dauntless S3 C 116
Dapro Intrepid S3 C 117
Dapro Black Phoenix C S3 C 118
Dapro Elements 2 S3 C 119
Dapro Elements 2 Pro C S3 C 120
Dapro Elements 3 C S3 C 121
Dapro Offshore C S7 C 122
Dapro Offshore C S7 C Subzero® T400 Fur 123
Dapro Petromaster C S7 C 124
Dapro Driller C S3 C 125
Dapro Rigger C S3 C 127
Dapro 3D Premium Comfort Insole 128
Dapro Laces 129

FOOTWEAR MADE-TO-ORDER 130
Dapro Rigmaster C S7 C 132
Dapro Rigmaster C S7 C Subzero® T400 Fur 134
Dapro Petromaster C S7 C Subzero® T400 Fur 136
Dapro Offshore C S7 C 137
Dapro Canyon Laceless C S3 C 138
Dapro Chelsea Boot C S3 140
Dapro Elements 1 C S3 C 142
Dapro Commissioner Slip On C S3 144
Dapro Commissioner C S3 146

We are always working to improve our products and achieve the perfect design to ensure the safety and comfort of our clients. Follow us on our social media channels to stay up-to-date with our latest models!



Company profile

Dapro Safety is a global expert in the development and manufacturing of high-performance Personal Protective Equipment (PPE), with a strong focus on the utility and energy industry and other hazardous work environments. What began over 20 years ago as a response to a clear need for high-quality workwear in remote areas where protective clothing was difficult to obtain has now evolved into a global leader in flame-retardant garments.

YOUR SAFETY IS OUR NUMBER ONE PRIORITY, YOUR LIFE DEPENDS ON IT.

As a pioneer in flame-retardant workwear, Dapro has earned a solid reputation for its innovation-driven approach and commitment to protection without compromise. Every garment we create is more than just equipment – it's a safeguard for the people who rely on it to stay safe in life-threatening situations.

SAFETY INSPIRES CONFIDENCE. CONFIDENCE INSPIRES ACHIEVEMENT.

This philosophy drives everything we do at Dapro, where we are dedicated to helping professionals achieve their best by ensuring they are fully protected.

Our product range is built around five core categories: Workwear, Outerwear, Base Layer, Footwear, and Eyewear. Each piece is engineered to meet the highest international standards for safety, durability, and comfort. Whether you're dealing with extreme heat, chemical risks, or the physical demands of rope access work – Dapro delivers gear that professionals trust.

One of Dapro's unique strengths lies in its Tailor-Made Projects. We work closely with our designers to create garments that fully align with the needs and corporate identity of each client. From specific certifications, protective features, and custom fabrics to precise branding and logo placements – Dapro creates made-to-order safety gear that meets the highest expectations. It's not just PPE; it's a seamless blend of function, identity, and innovation.

Building on our origins, Dapro combines the best of both worlds. In addition to offering custom-tailored solutions, we also maintain a large selection of core items in stock in our warehouses, ensuring short lead times for frequently ordered products. This dual approach – the ability to quickly deliver essential, high-quality PPE and the flexibility to provide bespoke designs for more complex projects – gives our clients the agility they need in fast-moving, high-risk industries.

A perfect example of our forward-thinking mindset is the 'Dapro Action Armpit' design, developed to increase mobility in coveralls by allowing freedom of movement when working above reach. It's one of many innovations developed through real user feedback and field testing – something that lies at the heart of the Dapro DNA.

Dapro is currently active in over 63 countries across six continents, serving industries where safety is non-negotiable. Our mission? To push the boundaries of PPE through constant innovation, technical excellence, and by simply listening to the people who wear our gear every single day.

Discover more at www.dapro-safety.com and find out what it means to work protected, without compromise.

MILESTONES

2002

COMPANY FOUNDED

The foundation of the company was laid, marking the beginning of our journey in protective workwear and PPE.

2004

OFFICIAL BRAND REGISTRATION

The Dapro® brand was officially registered, creating a dedicated identity focused on innovation, quality and protection.

2005

FACTORY ESTABLISHED IN INDIA

We opened our own production facility in India, strengthening our manufacturing capabilities and quality control.

2010

FOOTWEAR FACTORY

The launch of our footwear factory expanded our product range and enabled us to develop safety footwear alongside workwear.

2011

INDIA SALES OFFICE

The establishment of our India sales office marked an important step in Dapro's growth, enabling us to serve the local market. Since 2024, the office also supports our international sales teams.

2011

EXPANSION INTO SAFETY GLASSES

The addition of safety eyewear further strengthened the Dapro product portfolio, complementing our workwear and footwear collections with essential eye protection.

2012

IN-HOUSE TESTING FACILITY

The introduction of our own laboratory enhanced our ability to test, develop and continuously improve products.

2017

MENA SALES OFFICE

The opening of our Middle East and North Africa sales office allowed us to better support customers and partners throughout the region.

2025

RFID IMPLEMENTATION ROTTERDAM WAREHOUSE

The implementation of RFID technology in our Rotterdam warehouse marked an important step in warehouse innovation, improving inventory management and operational efficiency.

2025

DAPRO B2B PORTAL

The launch of the B2B Portal gave partners direct access to pricing, live stock information and online ordering.

TAILOR-MADE

In some cases, your safety requirements are so specific that only a company with proven design experience can meet them. Dapro Tailor-Made offers a unique solution, creating custom safety gear specifically for your needs.

By closely partnering with our clients, we handle every step from design and testing to certification and production, delivering personalized solutions to companies across the globe.

- Determine the garment type
- Identify required certifications
- Define company color profile and visual identity
- Decide on the necessary features, such as buttons, zippers, or other functional elements.
- Define logo requirements
- Decide on a stock product, custom or tailormade distribution set-up



"TOGETHER WITH DAPRO, WE TRANSLATED OUR BRANDBOOK INTO A UNIQUE DESIGN INSPIRED BY FORMULA 1. THE RESULT SETS US APART ON SITE AND IS WELL RECEIVED BY OUR CUSTOMERS."

– CEO, J. de Jonge







PRIVATE LABEL


Private Label offers a unique opportunity to create safety clothing that carries your brand's identity from start to finish. With our expertise, we manufacture garments designed specifically for your company, ensuring that everything—from the product to the packaging, labels, and certificates—reflects your brand's values. With Private Label, your business gets a fully customized, branded solution that goes beyond mere clothing to deliver a cohesive, premium experience for your customers.

3-LAYER SYSTEM

Dapro's 3-layer system is a modular protection concept built for the toughest weather conditions on earth. The outer layer forms a durable barrier against wind, rain, and extreme weather, while the insulating layer adds flexible insulation for colder conditions. Beneath it all, the base layer ensures lightweight warmth and breathable comfort.

This 3-layer system is made to adapt. Whether you're facing freezing cold, sudden downpours, or shifting environments throughout the day our 3-layer system keeps your body warm, dry, and protected while staying agile and ready for action.

Discover the 3-layer system at www.dapro-safety.com.





1



BASE LAYER

2



INSULATING LAYER

3



OUTER LAYER





PRO TIP

Carry all layers in the Dapro Offshore Bag





















Eco friendly manufacturing

Dapro has been a frontrunner in using eco-friendly materials and technology in its production processes. In our facilities, we take sustainability to the next level. Our facilities have rooftop energy sources. Solar power is a clean and efficient way of powering our production processes and lighting the facilities. In addition, Dapro uses low chromium content leather in its safety shoe production. Waste is reduced to a minimum in all our factories by means of stringent recycling policies. At Dapro we take sustainability as serious as we do safety.

LENZING™ for Protecive Wear

LENZING™ FR is a sustainably produced inherently flame-resistant cellulosic fiber based on the renowned Modal fibers production process. LENZING™ FR fibers meet the definition of "inherently flame retardant and resistant fibers" as defined by the European Man-made Fibers Association (CIRFS). Blends containing LENZING™ FR can be engineered to comply with all relevant global standards for protective wear, including ISO EN 11612 for heat and flame, NFPA 2112 for flash fires, and NFPA 70E which includes electric arc protection.

LENZING™ for Protective Wear

OEKO-TEX Standard 100

The OEKO-TEX® Standard 100 is an independent test and certification system for textile raw, intermediate and end products at all stages of processing. The test for harmful substances covers: Legally banned and controlled substances; Chemicals known to be harmful (but not yet legally controlled); Parameters for health protection.
The more closely the product is in contact with the skin, the stricter the human ecology requirements are that it must meet.

OEKO TEX® STANDARD 100

Extended Producer Responsibility

As a trusted provider of protective workwear, we recognize our responsibility to minimize our environmental impact while ensuring the highest standards of safety and durability.

Dapro is proud to be a member of Stichting UPV Textiel, an Extended Producer Responsibility (EPR) initiative. This means we actively take responsibility for the entire lifecycle of our products—from production and use to end-of-life recycling. For every garment we introduce to the market, we contribute a percentage towards recycling. By being part of Stichting UPV Textiel, we commit to sustainable practices that reduce waste, promote circularity, and contribute to a greener future.

Towards a Circular Future

Our commitment goes beyond eco-friendly manufacturing. We continuously explore smarter, cleaner, and more responsible ways to protect both people and the planet. From the materials we choose to the way we package our products, every step is carefully considered.

As part of this commitment, we are transitioning from printed to digital Instructions for Use, reducing paper waste while ensuring that important product information remains easily accessible.

This catalog is available digitally, and whenever printing is required, it's done on FSC®-certified recycled paper to support sustainable forestry and mindful resource use.

Through innovative materials, responsible sourcing, and eco-conscious production, we continuously work towards reducing our carbon footprint while maintaining the premium protection Dapro is known for.



Quality testing and traceability

Each Dapro product must pass stringent quality and safety tests. Unlike most competitors who only test their products with a Notified Body for international certification, all Dapro products are officially certified by Notified Bodies and often exceed these standards. Our factories utilize, in addition to international certification testing, in-house laboratories where all materials and final products are continuously tested, to guarantee that every product meets both international and Dapro standards. See a list of some of our standard in-house tests below:

> Water resistance and breathability of fabrics, leather, seams and garments
> Fabric/leather elongation, tear and tensile strength
> Leather chromium VI content and pH levels
> Impact compression & perforation resistance on shoe hardware
> Colour fastness
> Shade variations
> Shrinkage
> Flame-retardant properties
> Button pull testing
> Pilling

Dapro provides full NFPA 2112 / EN ISO documentation; competitors often lack GSO or SABER approval.


Every Dapro product has a unique tracking code.
With this code we can see exactly which batch of materials was used and which employees were involved in the production of the product. This ensures accountability in our whole production process.



Manikin Test

EN ISO 11612 is the international standard for industrial flame-retardant garments. EN ISO 11612 offers an optional test known as the 'Manikin Test'. This test involves exposing a manikin wearing our garment to a minimum 3-second flash fire. The test results predict the extent of skin burns for our product.

Dapro supplies the best flame-retardant garments in the world. That is why we do the 'Manikin Test' at 4 seconds and still achieve industry leading results. Please see the results in our burn injury prediction diagram.





CERTIFICATION

PROTECTIVE CLOTHING

EN ISO 13688

Specifies various general performance requirements including ergonomics, size and marking of protective clothing and accompanying user info.

EN ISO 11612 *Classification*

Specifies performance requirements for safety garments to protect from heat and flame, where there is a need for clothing with limited flame spread properties and where the user can be exposed to radiant, convective, contact heat or to molten metal splashes.
Classifications:
A: Flame distribution (A1 = Superficial flame, A2 = Peripheral flame)
B: Convective heat (Class 1 - 3)
C: Radiating heat (Class 1 - 4)
D: Molten aluminium (Class 1 - 3)
E: Molten Iron (Class 1 - 3)
F: Contact heat (Class 1 - 3)

EN ISO 14116 Index X

Specifies the performance requirements for the limited flame spread properties of materials, material assemblies and protective clothing in order to reduce the possibility of the clothing burning and thereby itself constituting a hazard. Protective clothing complying with this International Standard is intended to protect workers against occasional and brief contact with small igniting flames, in circumstances where there is no significant heat hazard and without the presence of another type of heat. Icon only shown when certified in combination with EN ISO 11612:2015.
Index:
1: hole may be formed, no flame spread, no flaming debris
2: no hole formation, no flame spread, no flaming debris, after flame / glow time > 2s
3: no hole formation, no flame spread, no flaming debris, after flame / glow time < 2s

EN 1149-5

Specifies material and design requirements for electrostatic dissipative protective clothing, used as part of a total earthed system, to avoid incendiary discharges. The requirements may not be sufficient in oxygen enriched flammable atmospheres. This European Standard is not applicable for protection against mains voltages.

EN ISO 11611 A1 Class X

Specifies safety requirements for protective clothing to be worn during welding and similar processes with comparable risks, to protect against spatter (small splashes of molten metal), short contact time with flame, radiant heat from the arc and minimizes the possibility of electrical shock by short-term, accidental contact with live electrical conductors in normal conditions of welding. (Class 1 - 2)

EN 13034 Type X

Specifies the requirements for chemical protective clothing partial (Type PB [6]) or full body (Type 6), intended for use in cases of a potential exposure to a light spray, liquid aerosols or low pressure, low volume splashes and partial body protection.

A B C

EN 343

Requirements and test methods for fabrics and seams of protective clothing against the influence of rain, snow, fog and ground humidity. Resistance to water penetration (A) and water vapour resistance (B) is measured.
A: Resistance to water penetration: 1-4, where class 4 provides the best waterproofness
B: Breathability – water vapour resistance: 1-4, where class 4 provides the best breathability
C: Impact from above with high energy droplets (optional)

EN 13758-2

This European Standard specifies the requirements for marking of clothing which are designed to offer the wearer protection against solar ultraviolet radiation exposure.

EN 14058

This standard specifies the requirements and test methods for the features of garments for protection of the body against cold environments with temperatures above -5 °C.
A: Thermal resistance rct (class 1 - 3)
B: Air permeability (class 1 - 3) (optional)
C: Water vapour permeability (optional)
D: Resistance water penetration (class 1 - 2) (optional)

IEC 61482-2 Class X

Specifies the necessities and test methods applicable to materials and garments for protective clothing for electrical workers against the thermal hazards of an electric arc based on properties of the textiles tested with selected test methods. The arc rating of materials (ATPV or EBT50) when tested with an open electric arc under defined laboratory conditions according to IEC 61482-1-1.

IEC 61482-2 Class X

The arc protection class of materials and garments (Class 1 or Class 2), when tested with a directed and constrained electric arc under defined laboratory conditions according to IEC 61482-1-2 requirements of this standard do not address electric shock hazards. The present standard is applicable in combination with standard covering such hazards.

EN ISO 20471

This standard specifies the international standard for the safety requirements and test methods of hi-vis workwear, and is applicable to high-risk situations. It specifies requirements for “high visibility clothing which is capable of visually signalling the user’s presence” and assesses the suitability and durability of retro-reflective materials. (Class 1 - 3)

EN 17353 Type X

This European standard specifies the requirements for enhanced visibility equipment in the form of garments, or devices, which are capable of visually signalling the user’s presence. The enhanced visibility equipment is intended to provide conspicuity of the wearer in medium risk situations under any daylight conditions and/or under illumination by vehicles headlights or searchlights in the dark.

NFPA 2112

This standard sets requirements for flame-resistant garments to protect workers from flash fires. Garments must provide at least 6 cal/cm² protection and stop burning within 2 seconds. It does not apply to electrical arc flash hazards.

NFPA 70E

This standard outlines safety practices to protect workers from electrical hazards like shock, arc flash, and arc blast. It covers PPE requirements, electrical maintenance, and hazard assessments in industries such as utilities and construction. The standard mandates hazard assessments, proper PPE, and employee training.

SAFETY FOOTWEAR

ISO 20345

Specifies basic and additional (optional) requirements for safety footwear used for general purpose. It includes, for example, mechanical risks, slip resistance, thermal risks, ergonomic behaviour.

SB: Basic safety - 200 J toe cap
S1: SB + closed heel, antistatic, energy absorption
S1P: S1 + penetration resistance
S1PS: S1P + additional slip resistance (SRC or higher)
S3: S1 + water penetration resistance + penetration resistance
S3S: S3 + additional slip resistance (SRC or higher)
S7: S3 + waterproof construction
S7S: S7 + additional slip resistance (SRC or higher)
CI: Cold insulation
ESD: Electrostatic discharge
FO: Resistance to fuel and oil
HRO: Heat resistant outsole
SC: Scuff cap
SR: Slip resistance
SRA: Slip resistance - on ceramic tile floor with soap solution
SRB: Slip resistance - on steel floor with glycerol
SRC: SRA + SRB

ASTM F2413-18

This standard sets the minimum performance requirements for safety footwear to protect workers from impact, compression, penetration, and electrical hazards. Footwear must meet impact and compression standards, provide protection against electrical hazards, resist penetration, and offer slip resistance. It ensures workers in industries like construction, manufacturing, and oil & gas have durable, protective footwear.

C: Conductivity
I: Impact resistance
M: Metatarsal protection
PR: Puncture resistance
SD: Static dissipative
SD10: SD with resistance range 1 MΩ to 10 MΩ
SD35: SD with resistance range 1 MΩ to 35 MΩ

ASTM F3445-21

This standard provides guidelines for safety footwear with conductive properties to protect workers from static electricity hazards. It covers design, testing, and performance requirements to safely dissipate static charges, preventing sparks in environments like electronics and pharmaceuticals. Footwear must maintain conductivity and meet specific durability standards.

SR: Slip Resistance

EYE PROTECTION

EN 166

Specifies the core technical industrial safety norm in Europe for eye protection applying to all types of individual protection of the eye which protects from hazards likely to damage the eye, except for nuclear radiation, x-rays, laser emissions and infrared emitted by low temperature sources.



DAPRO STOCK

Product Name	Color	GSM	EN ISO 13688 (EN 340)	EN ISO 11612 A1B1C1E1F1	EN ISO 14116 Index 3	EN 1149-5	EN ISO 11611 A1 Class 1	EN 13034 Type 6	IEC 61482-2 Class 1	IEC 61482-2 APC 1	EN ISO 20471	EN 17353
Workwear												
Toughwear 2 Coverall	BL WG NB AB OR AR	200	✓	A1 B1 C1						✓		Type B2
Industry Coverall	NB	350	✓	A1 B1 C1 F1	✓	✓	✓			✓		
Roughneck Coverall	BL WG NB RB OR RE	240	✓	A1 B1 C1 E0 F1	✓	✓	✓	✓		Class 1		Type B3
Roughneck Bib	RE OR	240	✓	A1 B1 C1 E0 F1	✓	✓	✓	✓		Class 1		Type B3
Roughneck Jacket / Pant	NB RE OR	240	✓	A1 B1 C1 E0 F1	✓	✓	✓	✓		Class 1		Type B3
Diamond Coverall	NB RB OR RE	350	✓	✓	✓	✓	✓	✓	✓			
Diamond Jacket / Pant	RE	350	✓	✓	✓	✓	✓	✓	✓			
Spark Coverall	BL NB RB	350	✓	✓	✓	✓	✓	✓	✓			
Spark Bib / Jacket / Pant	NB	350	✓	✓	✓	✓	✓	✓	✓			
Rope Access Coverall	NB OR	350	✓	✓	✓	✓	✓	✓	✓			
Globe-Tech Coverall **IFR**	BL HVYE	260	✓	A1 B1 C1 F1	✓	✓	✓	✓	✓			
Globe-Tech Bib **IFR**	BL HVYE	260	✓	A1 B1 C1 F1	✓	✓	✓	✓	✓			
Globe-Tech Jacket **IFR**	BL HVYE	260	✓	A1 B1 C1 F1	✓	✓	✓	✓	✓			
Globe-Tech Pant **IFR**	BL HVYE	260	✓	A1 B1 C1 F1	✓	✓	✓	✓	✓			
Globe-Tech Polo **IFR**	BL HVYE	220	✓	A1 B1 C1		✓				APC 1		
Globe-Tech Shirt **IFR**	BL HVYE	260	✓	A1 B1 C1 F1	✓	✓	✓	✓	✓			
Globe-Tech Sweater **IFR**	BL HVYE	340	✓	A1 B1 C1 F1		✓				ATPV=20,4cal/cm2		
Volt Hi-Vis Class 2 Coverall **IFR**	NB HVYE	260	✓	A1 A2 B1 C1 E1 F1	✓	✓	A1+A2 Class 1	✓		APC 1	✓	
Worker 1 Coverall	NB RB OR WH	200	N/A									
Worker 2 Coverall	NB RB OR	200	N/A									
Kids												
Kids Coverall	NB RB OR	200	N/A									

IFR Inherent flame retardant | **FR** Flame retardant | **NFR** Non flame retardant

DAPRO STOCK

Product Name	Color	GSM	EN ISO 13688 (EN 340)	EN ISO 11612	EN ISO 14116 Outer: Index 1 Inner: Index 3	EN 1149-5	EN ISO 11611 A1 Class 1	EN 13034 Type PB [6]	EN 343	EN ISO 20471	EN 17353	IEC 61482-2 Class 1	IEC 61482-2
Outerwear													
Infinity Jacket	BL NB NB HVYE NB HVOR	260	✓		✓	✓		✓	✓	Only Hi-Vis Jackets			
C9 Hood	NB	260	✓		✓	✓		✓	✓				
PU Hydrolite Rainsuit	NB	190	✓		Index 1	✓			✓				
Globe-Tech Jacket	BL HVYE	300	✓	A1 B1 C1 D3 E3 F1	Index 3	✓	✓	✓	✓		Type B3		APC 1
Spectre Softshell Jacket	NB HVYE	400	✓	A1 A2 B1 C2 F1		✓	A1 + A2 Class 2	✓		✓			✓
Protector Coverall Reflect	HVOR	260	✓		✓	✓		Type 6	✓	✓			
Protector Bib	NB HVYE NB HVOR	260	✓		✓	✓		✓	✓	✓			
Protector Pant	NB NB HVYE NB HVOR	260	✓		✓	✓		✓	✓	Only with C9-2 Pants			
Protector Bodywarmer	NB NB HVYE NB HVOR	260	✓		✓	✓		✓	✓	Only with C9-2 Bodywarmers			
Basic Fleece	BL	260	✓										
Defender Fleece	NB RB	320	✓	A1 B1 C1	Index 3	✓						ATPV=5.1cal/cm2	
Base Layer													
Balaclava **IFR**	BL	250	✓	A1 B1 C1		✓							
Frost Neck Protector **IFR**	BL	250	✓	A1 B1 C1		✓							
Frost Underwear Shirt **IFR**	BL	250	✓	A1 B1 C1	Index 3	✓							
Frost Underwear Pant **IFR**	BL	250	✓	A1 B1 C1	Index 3	✓							
Accessories													
Kneepads	EB	N/A	N/A										
Offshore Bag	BL	N/A	N/A										
Phoenix Socks	NB BL	N/A	N/A										



DAPRO FOOTWEAR STOCK

Product Name		Color	
Platinum Range			
Offshore C S7 C*	**	BL/BL	BE/BE[1]
Petromaster C S7 C		BL/BL	BR/BR[1]
Rigmaster C S7 C[1]*		BL/BL	BR/BR
Sports Range			
Black Phoenix C S3 C		BL	WH
Commissioner C S3[1]		BL/BL	BR/BR
Commissioner Slip On C S3[1]		BL/BL	BR/BR

Features	Platinum Range	Sports Range
EN ISO 20345	2022 SR	2022 SR
Metal free / Non-magnetic	Metal free	**Black Phoenix C S3 C, Commissioner C S3:** Non-magnetic **Commissioner Slip On C S3:** Metal free
Water resistant	✓ (Waterproof Membrane)	✓
Upper	Full grain leather	**Black Phoenix C S3 C:** Nubuck finish microfiber **Commissioner (Slip On) C S3,** Full grain leather
Sole	ESD PU/Nitrile	**Black Phoenix C S3 C:** PU/Nitrile **Commissioner (Slip On) C S3,** PU/PU
Anti-slip and Anti-shock	✓	✓
Abrasion resistance	★★★★★	★★★★★
Traction	★★★★★	★★★★★
Oil and Chemical resistance	★★★★★	★★★★★
Heat resistance up to	300° Celsius	160° Celsius
Anti-static	✓ ESD	✓ ESD
TPU Abrasion resistant cuff nose / scuff cap	✓	**Black Phoenix C S3 C:** ✓ **Commissioner (Slip On) C S3:** ✓
Anti-perforation mid plate	Textile	Textile
Protective toe	✓	✓
Lining and/or insole	Anti-bacterial polyester mesh lining and 3D EVA insole	Anti-bacterial polyester mesh lining and 3D EVA insole

* Additional winter variant with 400 GSM 3M™ Thinsulate available

** Additional brown variant available on request

[1] Available on request

DAPRO FOOTWEAR STOCK

Product Name	Color	
High Range		
Driller C S3 C	BL/BL	BR/BR
Rigger C S3 C	BL/BL	**
Canyon Laceless C S3 C[1]	BL/BL	BR/BR
Chelsea Boot C S3[1]	BL/BL	BR/BR
Elements 1 C S3 C[1]	BL/BL	BR/BR
Elements 2 Pro C S3 C	BL/BL	**
Elements 3 C S3 C	BL/BL	**
Mid Range		
Elements 2 S3 C	BL/BL	
Value Range		
Baron S3 C	BL/BL	**
Noble S3 C	BL/BL	BR/BR[2]
Noble Welding S3 C	BL/BL	
Intrepid S3 C	BL/BL	**
Dauntless S3 C	BL/BL	

Features	High Range	Mid Range	Value Range
EN ISO 20345	2022 SR	2011 SRC	2011 SRC
Metal free / Non-magnetic	Metal free	-	-
Water resistant	✓	✓	✓
Upper	Full grain leather	Grain leather	Buffalo split leather
Sole	PU/Nitrile	PU/PU	PU/PU
Anti-slip and Anti-shock	✓	✓	✓
Abrasion resistance	★★★★★	★★★★	★★★★
Traction	★★★★★	★★★★	★★★★
Oil and Chemical resistance	★★★★★	★★★★★	★★★★
Heat resistance up to	300° Celsius	160° Celsius	160° Celsius
Anti-static	✓ ESD	✓	✓
PU bump cap / scuff cap	-	✓	✓
TPU Abrasion resistant cuff nose / scuff cap	**Driller C S3 C:** ✓ **Rigger C S3 C:** ✓ **Canyon Laceless C S3 C:** ✓ **Chelsea C S3:** - **Elements 1/2/3 C S3 C:** ✓	-	-
Anti-perforation mid plate	Textile	Steel	Steel
Protective toe	✓	✓	✓
Lining and/or insole	**Driller C S3 C:** Anti-bacterial 3D EVA insole **Rigger, Canyon Laceless, Elements 1/2/3 C S3 C, Chelsea C S3:** Anti-bacterial polyester mesh lining and 3D EVA insole	Anti-bacterial polyester mesh lining and 3D EVA insole	EVA Insole

* Additional winter variant with 400 GSM 3M™ Thinsulate available

** Additional brown variant available on request

[1] Available on request

[2] In stock while supplies last


dapro
WORKWEAR
SHOP ALL WORKWEAR


Size guide Coverall/Jacket

SIZE			LENGHT (A)	CHEST (B)	WAIST (C)
42	32	3XS	158-167	76-96	70-90
44	34	2XS	158-170	78-98	71-91
46	36	XS	158-172	80-100	73-93
48	38	S	161-175	82-102	74-94
50	40	M	164-178	84-104	76-96
52	42		168-182	86-106	77-97
54	44	L	172-186	87-107	79-99
56	46		174-188	89-109	80-100
58	48	XL	177-191	91-111	82-102
60	50		179-193	93-113	83-103
62	52	2XL	182-196	94-114	85-105
64	54		183-202	96-116	88-108
66	56	3XL	184-202	97-117	91-111
68	58		185-202	99-119	94-114
70	60	4XL	187-202	100-120	96-116


Size guide Pants

SIZE			WAIST (C)	HIP (D)	INSEAM (E)
42	32	3XS	74-85	87-98	70-76
44	34	2XS	77-88	89-100	71-77
46	36	XS	80-91	91-102	72-78
48	38	S	83-94	93-104	74-80
50	40	M	86-97	95-106	75-81
52	42		88-100	97-109	76-82
54	44	L	91-103	100-112	79-85
56	46		94-106	103-115	80-86
58	48	XL	96-109	105-118	81-87
60	50		99-112	108-121	82-88
62	52	2XL	102-115	111-124	83-89
64	54		105-118	114-127	84-90
66	56	3XL	111-124	117-130	84-90
68	58		117-130	120-133	84-90
70	60	4XL	123-136	123-136	84-90


Measurements shown in centimeters



Iconography



Wearers side



Dapro Toughwear 2 Coverall Kneepads

PRODUCT CODE: WTOU2CK-NB*

C11-A Certification and fabric information

CE				
EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1	EN ISO 14116:2015 Index 3	EN 1149-5:2008	IEC 61482-2:2009 ATPV=5,1 cal/cm2

Guardian Lifetime Flame Retardant


- 98% Cotton / 2% Anti-static
- Flame-retardant and Anti-static
- 200 GSM

FR

Features

- Suitable for Tropical climate
- Standing collar for extra protection
- Center front with concealed YKK® two-way metal zipper and metal snap button closure
- **Gas detector loop** on chest at right hand side
- Chest pockets with safety flap and concealed metal zipper closure
- **Pen pocket** at left hand side sleeve
- Elastic waistband for improved fit
- Side pockets
- **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- Back pocket at right hand side
- Slanted tool pocket at right hand side leg
- **Kneepad pockets**
- **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- Prolux® 50mm flame-retardant reflective striping





Available in colors:
Sizes in stock

Navy Blue *NB	Wolf Grey *WG	Oil Black *BL
EU 46-66	EU 46-64	EU 46-64

Arabian Blue *AB	Vibrant Orange *OR	Arabian Red *AR
EU 46-66	EU 46-66	EU 46-66

Available on request: EU 42-72

GUARANTEED STOCK

Extensive Bartacks	5 Thread Safety Stitch	YKK® Two-Way Zipper	Single Gas Loop	Lower Arm Striping	Adjustable Hems/Cuffs

Dapro Toughwear 2 Coverall Kneepads

PRODUCT CODE: WTOU2CK-WG*

C11-0-B2 Certification and fabric information

EN ISO 13688:2013 +A1:2021	EN ISO 11612:2015 A1 B1 C1	EN 1149-5:2018	EN 61482-2:2020 APC 1	EN 17353:2020 Type B2

Guardian Lifetime Flame Retardant

- 98% Cotton / 2% Anti-static
- Flame-retardant and Anti-static
- 200 GSM

FR

Features

- Suitable for Tropical climate
- Standing collar for extra protection
- Center front with concealed YKK® two-way metal zipper and metal snap button closure
- **Gas detector loop** on chest at right hand side
- Chest pockets with safety flap and concealed metal zipper closure
- **Pen pocket** at left hand side sleeve
- Elastic waistband for improved fit
- Side pockets
- **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- Back pocket at right hand side
- Slanted tool pocket at right hand side leg
- **Kneepad pockets**
- **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- Prolux® 50mm flame-retardant reflective striping



Available in colors:
Sizes in stock

Navy Blue *NB	Wolf Grey *WG	Oil Black *BL
EU 46-66	EU 46-64	EU 46-64

Arabian Blue *AB	Vibrant Orange *OR	Arabian Red *AR
EU 46-66	EU 46-66	EU 46-66

Available on request: EU 42-72

Extensive Bartacks | 5 Thread Safety Stitch | YKK® Two-Way Zipper | Single Gas Loop | Lower Arm Striping | Adjustable Hems/Cuffs

Dapro Toughwear 2 Coverall Kneepads

PRODUCT CODE: WTOU2CK-BL*

C11-0-B2 Certification and fabric information

EN ISO 13688:2013 +A1:2021 | EN ISO 11612:2015 A1 B1 C1 | EN 1149-5:2018 | EN 61482-2:2020 APC 1 | EN 17353:2020 Type B2

Guardian Lifetime Flame Retardant


- 98% Cotton / 2% Anti-static
- Flame-retardant and Anti-static
- 200 GSM

FR

Features

- Suitable for Tropical climate
- Standing collar for extra protection
- Center front with concealed YKK® two-way metal zipper and metal snap button closure
- **Gas detector loop** on chest at right hand side
- Chest pockets with safety flap and concealed metal zipper closure
- **Pen pocket** at left hand side sleeve
- Elastic waistband for improved fit
- Side pockets
- **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- Back pocket at right hand side
- Slanted tool pocket at right hand side leg
- **Kneepad pockets**
- **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- Prolux® 50mm flame-retardant reflective striping





Available in colors:
Sizes in stock

Navy Blue *NB *EU 46-66*	Wolf Grey *WG *EU 46-64*	Oil Black *BL *EU 46-64*
Arabian Blue *AB *EU 46-66*	Vibrant Orange *OR *EU 46-66*	Arabian Red *AR *EU 46-66*

Available on request: EU 42-72

Extensive Bartacks | 5 Thread Safety Stitch | YKK® Two-Way Zipper | Single Gas Loop | Lower Arm Striping | Adjustable Hems/Cuffs

Dapro Toughwear 2 Coverall Kneepads

PRODUCT CODE: WTOU2CK-AB*

C11-A Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)

EN ISO 11612:2015 A1 B1 C1

EN ISO 14116:2015 Index 3

EN 1149-5:2008

IEC 61482-2:2009 ATPV=5,1 cal/cm2

Guardian Lifetime Flame Retardant


- 98% Cotton / 2% Anti-static
- Flame-retardant and Anti-static
- 200 GSM

FR

Features

> Suitable for Tropical climate
> Standing collar for extra protection
> Center front with concealed YKK® two-way metal zipper and metal snap button closure
> **Gas detector loop** on chest at right hand side
> Chest pockets with safety flap and concealed metal zipper closure
> **Pen pocket** at left hand side sleeve
> Elastic waistband for improved fit
> Side pockets
> **Side vents** with safety flap and concealed metal snap button closure behind side pockets
> Back pocket at right hand side
> Slanted tool pocket at right hand side leg
> **Kneepad pockets**
> **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
> Prolux® 50mm flame-retardant reflective striping





Available in colors:
Sizes in stock

Navy Blue *NB — EU 46-66
Wolf Grey *WG — EU 46-64
Oil Black *BL — EU 46-64
Arabian Blue *AB — EU 46-66
Vibrant Orange *OR — EU 46-66
Arabian Red *AR — EU 46-66

Available on request: EU 42-72

GUARANTEED STOCK

Extensive Bartacks
5 Thread Safety Stitch
YKK® Two-Way Zipper
Single Gas Loop
Lower Arm Striping
Adjustable Hems/Cuffs

Dapro Toughwear 2 Coverall Kneepads

PRODUCT CODE: WTOU2CK-OR*

C11-A Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1	EN ISO 14116:2015 Index 3	EN 1149-5:2008	IEC 61482-2:2009 ATPV=5,1 cal/cm2

Guardian Lifetime Flame Retardant


- 98% Cotton / 2% Anti-static
- Flame-retardant and Anti-static
- 200 GSM


FR

Features

- Suitable for Tropical climate
- Standing collar for extra protection
- Center front with concealed YKK® two-way metal zipper and metal snap button closure
- **Gas detector loop** on chest at right hand side
- Chest pockets with safety flap and concealed metal zipper closure
- **Pen pocket** at left hand side sleeve
- Elastic waistband for improved fit
- Side pockets
- **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- Back pocket at right hand side
- Slanted tool pocket at right hand side leg
- **Kneepad pockets**
- **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- Prolux® 50mm flame-retardant reflective striping







Available in colors:
Sizes in stock

Navy Blue *NB	Wolf Grey *WG	Oil Black *BL
EU 46-66	EU 46-64	EU 46-64

Arabian Blue *AB	Vibrant Orange *OR	Arabian Red *AR
EU 46-66	EU 46-66	EU 46-66

Available on request: EU 42-72

GUARANTEED STOCK

Extensive Bartacks	5 Thread Safety Stitch	YKK® Two-Way Zipper	Single Gas Loop	Lower Arm Striping	Adjustable Hems/Cuffs

Dapro Toughwear 2 Coverall Kneepads

PRODUCT CODE: WTOU2CK-AR*

C11-A Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1	EN ISO 14116:2015 Index 3	EN 1149-5:2008	IEC 61482-2:2009 ATPV=5,1 cal/cm2

Guardian Lifetime Flame Retardant


- 98% Cotton / 2% Anti-static
- Flame-retardant and Anti-static
- 200 GSM


FR

Features

- Suitable for Tropical climate
- Standing collar for extra protection
- Center front with concealed YKK® two-way metal zipper and metal snap button closure
- **Gas detector loop** on chest at right hand side
- Chest pockets with safety flap and concealed metal zipper closure
- **Pen pocket** at left hand side sleeve
- Elastic waistband for improved fit
- Side pockets
- **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- Back pocket at right hand side
- Slanted tool pocket at right hand side leg
- **Kneepad pockets**
- **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- Prolux® 50mm flame-retardant reflective striping







Available in colors:
Sizes in stock

Navy Blue *NB	Wolf Grey *WG	Oil Black *BL
EU 46-66	EU 46-64	EU 46-64

Arabian Blue *AB	Vibrant Orange *OR	Arabian Red *AR
EU 46-66	EU 46-66	EU 46-66

Available on request: EU 42-72

GUARANTEED STOCK

Extensive Bartacks	5 Thread Safety Stitch	YKK® Two-Way Zipper	Single Gas Loop	Lower Arm Striping	Adjustable Hems/Cuffs

Dapro Industry Coverall

PRODUCT CODE: WINDKCUHW-NB*

C12 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1 F1	EN ISO 14116:2015 Index 3	EN ISO 11611:2015 A1 Class 1	EN 1149-5:2018	IEC 61482-2:2020 APC1

Guardian Lifetime Flame Retardant


- 60% Cotton / 39% Polyester / 1% Anti-static
- Flame-retardant and Anti-static
- 350 GSM


FR

Features

> Suitable for Continental climate
> Center front with concealed metal snap button closure
> **Gas detector loop** on chest at right hand side
> Chest pockets with safety flap and concealed metal snap button closure
> Elastic waistband for improved fit
> Side pockets
> **Side vents** with safety flap and concealed metal snap button closure behind side pockets
> Back pocket with safety flap and concealed metal snap button closure at right hand side
> Slanted tool pocket at right hand side leg
> **Kneepad pockets**







GUARANTEED STOCK

Extensive Bartacks | 5 Thread Safety Stitch | 1x Single Gas Loop

Available in colors:
Sizes in stock

Navy Blue *NB

EU 42-70

Available on request: EU 72

Dapro Roughneck Coverall

PRODUCT CODE: WROUCLW-NB*

C4 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1 E1 F1	EN ISO 14116:2015 Index 3	EN ISO 11611:2015 A1 Class 1	EN 1149-5:2008	EN 13034:2005 +A1:2009 Type 6	IEC 61482-2:2009 Class 1

Guardian Lifetime Flame Retardant

- 98% Cotton / 2% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 240 GSM

FR

Features

- Suitable for Summer climate
- Standing collar for extra protection
- Center front with concealed YKK® two-way metal zipper and metal snap button closure
- **Gas detector loops** at chest
- Chest pockets with safety flap and concealed nylon zipper closure
- Ergonomically shaped arms
- **Action armpits** for comfortable work above reach
- **Back pleats** for improved ergonomics and ultimate comfort with 45˚ degrees tack
- **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
- **Adjustable elastic waistband** for perfect fit
- Slanted side pockets with concealed hook-and-loop closure
- **Side vents** with plastic flame-retardant snap button closure behind side pockets
- Back pockets with safety flap and concealed metal snap button closure
- **Cargo pocket** with safety flap and double concealed metal snap button closure at left hand side leg
- **Diamond tool pocket** with safety flap at right hand side leg
- **Shaped kneepad pockets**
- **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- Reflective piping details on lower sleeves, back pockets and cargo pocket
- Prolux® 50mm flame-retardant reflective striping


Available in colors:
Sizes in stock


Navy Blue *NB	Wolf Grey *WG	Oil Black *BL
EU 46-68	*EU 46-64*	*EU 46-64*

Royal Blue *RB	Vibrant Orange *OR	Flaming Red *RE
EU 46-68	*EU 46-68*	*EU 48-68*

Available on request: EU 42-72







GUARANTEED STOCK

Extensive Bartacks	5 Thread Safety Stitch	YKK® Two-Way Zipper	Double Gas Loop	Lower Arm Striping	Adjustable Hems/Cuffs	Action Armpit	Shaped Knee

Dapro Roughneck Coverall

PRODUCT CODE: WROUCLW-WG*

C4-2 Certification and fabric information

EN ISO 13688:2013 +A1:2021	EN ISO 11612:2015 A1 B1 C1 E0 F1	EN ISO 14116:2015 Index 3	EN 1149-5:2018	EN ISO 11611:2015 A1 Class 1	EN 13034:2005 +A1:2009 Type 6	EN 61482-2:2020 Class 1	EN 17353:2020 Type B3

Guardian Lifetime Flame Retardant

- 98% Cotton / 2% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 240 GSM

FR

Features

- Suitable for Summer climate
- Standing collar for extra protection
- Center front with concealed YKK® two-way metal zipper and metal snap button closure
- **Gas detector loops** at chest
- Chest pockets with safety flap and concealed nylon zipper closure
- Ergonomically shaped arms
- **Action armpits** for comfortable work above reach
- **Back pleats** for improved ergonomics and ultimate comfort with 45˚ degrees tack
- **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
- **Adjustable elastic waistband** for perfect fit
- Slanted side pockets with concealed hook-and-loop closure
- **Side vents** with plastic flame-retardant snap button closure behind side pockets
- Back pockets with safety flap and concealed metal snap button closure
- **Cargo pocket** with safety flap and double concealed metal snap button closure at left hand side leg
- **Diamond tool pocket** with safety flap at right hand side leg
- **Shaped kneepad pockets**
- **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- Reflective piping details on lower sleeves, back pockets and cargo pocket
- Prolux® 50mm flame-retardant reflective striping


Available in colors:
Sizes in stock


Navy Blue *NB	Wolf Grey *WG	Oil Black *BL
EU 46-68	*EU 46-64*	*EU 46-64*

Royal Blue *RB	Vibrant Orange *OR	Flaming Red *RE
EU 46-68	*EU 46-68*	*EU 48-68*

Available on request: EU 42-72







Extensive Bartacks | 5 Thread Safety Stitch | YKK® Two-Way Zipper | Double Gas Loop | Lower Arm Striping | Adjustable Hems/Cuffs | Action Armpit | Shaped Knee

Dapro Roughneck Coverall

PRODUCT CODE: WROUCLW-BL*

C4-2 Certification and fabric information

EN ISO 13688:2013 +A1:2021	EN ISO 11612:2015 A1 B1 C1 E0 F1	EN ISO 14116:2015 Index 3	EN 1149-5:2018	EN ISO 11611:2015 A1 Class 1	EN 13034:2005 +A1:2009 Type 6	EN 61482-2:2020 Class 1	EN 17353:2020 Type B3

Guardian Lifetime Flame Retardant

- 98% Cotton / 2% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 240 GSM

FR

Features

- Suitable for Summer climate
- Standing collar for extra protection
- Center front with concealed YKK® two-way metal zipper and metal snap button closure
- **Gas detector loops** at chest
- Chest pockets with safety flap and concealed nylon zipper closure
- Ergonomically shaped arms
- **Action armpits** for comfortable work above reach
- **Back pleats** for improved ergonomics and ultimate comfort with 45˚ degrees tack
- **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
- **Adjustable elastic waistband** for perfect fit
- Slanted side pockets with concealed hook-and-loop closure
- **Side vents** with plastic flame-retardant snap button closure behind side pockets
- Back pockets with safety flap and concealed metal snap button closure
- **Cargo pocket** with safety flap and double concealed metal snap button closure at left hand side leg
- **Diamond tool pocket** with safety flap at right hand side leg
- **Shaped kneepad pockets**
- **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- Reflective piping details on lower sleeves, back pockets and cargo pocket
- Prolux® 50mm flame-retardant reflective striping


Available in colors:
Sizes in stock


Navy Blue *NB	Wolf Grey *WG	Oil Black *BL
EU 46-68	*EU 46-64*	*EU 46-64*

Royal Blue *RB	Vibrant Orange *OR	Flaming Red *RE
EU 46-68	*EU 46-68*	*EU 48-68*

Available on request: EU 42-72







Extensive Bartacks | 5 Thread Safety Stitch | YKK® Two-Way Zipper | Double Gas Loop | Lower Arm Striping | Adjustable Hems/Cuffs | Action Armpit | Shaped Knee

Dapro Roughneck Coverall

PRODUCT CODE: WROUCLW-RB*

C4 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1 E1 F1	EN ISO 14116:2015 Index 3	EN ISO 11611:2015 A1 Class 1	EN 1149-5:2008	EN 13034:2005 +A1:2009 Type 6	IEC 61482-2:2009 Class 1

Guardian Lifetime Flame Retardant

- 98% Cotton / 2% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 240 GSM

FR

Features

- Suitable for Summer climate
- Standing collar for extra protection
- Center front with concealed YKK® two-way metal zipper and metal snap button closure
- **Gas detector loops** at chest
- Chest pockets with safety flap and concealed nylon zipper closure
- Ergonomically shaped arms
- **Action armpits** for comfortable work above reach
- **Back pleats** for improved ergonomics and ultimate comfort with 45˚ degrees tack
- **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
- **Adjustable elastic waistband** for perfect fit
- Slanted side pockets with concealed hook-and-loop closure
- **Side vents** with plastic flame-retardant snap button closure behind side pockets
- Back pockets with safety flap and concealed metal snap button closure
- **Cargo pocket** with safety flap and double concealed metal snap button closure at left hand side leg
- **Diamond tool pocket** with safety flap at right hand side leg
- **Shaped kneepad pockets**
- **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- Reflective piping details on lower sleeves, back pockets and cargo pocket
- Prolux® 50mm flame-retardant reflective striping


Available in colors:
Sizes in stock


Navy Blue *NB	Wolf Grey *WG	Oil Black *BL
EU 46-68	*EU 46-64*	*EU 46-64*

Royal Blue *RB	Vibrant Orange *OR	Flaming Red *RE
EU 46-68	*EU 46-68*	*EU 48-68*

Available on request: EU 42-72







GUARANTEED STOCK

Extensive Bartacks	5 Thread Safety Stitch	YKK® Two-Way Zipper	Double Gas Loop	Lower Arm Striping	Adjustable Hems/Cuffs	Action Armpit	Shaped Knee

Dapro Roughneck Coverall

PRODUCT CODE: WROUCLW-OR*

C4 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1 E1 F1	EN ISO 14116:2015 Index 3	EN ISO 11611:2015 A1 Class 1	EN 1149-5:2008	EN 13034:2005 +A1:2009 Type 6	IEC 61482-2:2009 Class 1

Guardian Lifetime Flame Retardant

- 98% Cotton / 2% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 240 GSM

FR

Features

- Suitable for Summer climate
- Standing collar for extra protection
- Center front with concealed YKK® two-way metal zipper and metal snap button closure
- **Gas detector loops** at chest
- Chest pockets with safety flap and concealed nylon zipper closure
- Ergonomically shaped arms
- **Action armpits** for comfortable work above reach
- **Back pleats** for improved ergonomics and ultimate comfort with 45˚ degrees tack
- **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
- **Adjustable elastic waistband** for perfect fit
- Slanted side pockets with concealed hook-and-loop closure
- **Side vents** with plastic flame-retardant snap button closure behind side pockets
- Back pockets with safety flap and concealed metal snap button closure
- **Cargo pocket** with safety flap and double concealed metal snap button closure at left hand side leg
- **Diamond tool pocket** with safety flap at right hand side leg
- **Shaped kneepad pockets**
- **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- Reflective piping details on lower sleeves, back pockets and cargo pocket
- Prolux® 50mm flame-retardant reflective striping


Available in colors:
Sizes in stock


Navy Blue *NB	Wolf Grey *WG	Oil Black *BL
EU 46-68	*EU 46-64*	*EU 46-64*

Royal Blue *RB	Vibrant Orange *OR	Flaming Red *RE
EU 46-68	*EU 46-68*	*EU 48-68*

Available on request: EU 42-72







GUARANTEED STOCK

Extensive Bartacks	5 Thread Safety Stitch	YKK® Two-Way Zipper	Double Gas Loop	Lower Arm Striping	Adjustable Hems/Cuffs	Action Armpit	Shaped Knee

Dapro Roughneck Coverall

PRODUCT CODE: WROUCLW-RE*

C4 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1 E1 F1	EN ISO 14116:2015 Index 3	EN ISO 11611:2015 A1 Class 1	EN 1149-5:2008	EN 13034:2005 +A1:2009 Type 6	IEC 61482-2:2009 Class 1

Guardian Lifetime Flame Retardant

- 98% Cotton / 2% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 240 GSM

FR

Features

- Suitable for Summer climate
- Standing collar for extra protection
- Center front with concealed YKK® two-way metal zipper and metal snap button closure
- **Gas detector loops** at chest
- Chest pockets with safety flap and concealed nylon zipper closure
- Ergonomically shaped arms
- **Action armpits** for comfortable work above reach
- **Back pleats** for improved ergonomics and ultimate comfort with 45˚ degrees tack
- **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
- **Adjustable elastic waistband** for perfect fit
- Slanted side pockets with concealed hook-and-loop closure
- **Side vents** with plastic flame-retardant snap button closure behind side pockets
- Back pockets with safety flap and concealed metal snap button closure
- **Cargo pocket** with safety flap and double concealed metal snap button closure at left hand side leg
- **Diamond tool pocket** with safety flap at right hand side leg
- **Shaped kneepad pockets**
- **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- Reflective piping details on lower sleeves, back pockets and cargo pocket
- Prolux® 50mm flame-retardant reflective striping


Available in colors:
Sizes in stock


Navy Blue *NB	Wolf Grey *WG	Oil Black *BL
EU 46-68	*EU 46-64*	*EU 46-64*

Royal Blue *RB	Vibrant Orange *OR	Flaming Red *RE
EU 46-68	*EU 46-68*	*EU 48-68*

Available on request: EU 42-72







GUARANTEED STOCK



Extensive Bartacks | 5 Thread Safety Stitch | YKK® Two-Way Zipper | Double Gas Loop | Lower Arm Striping | Adjustable Hems/Cuffs | Action Armpit | Shaped Knee

Dapro Roughneck Bib

PRODUCT CODE: WROUBLW-RE*

C4 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1 E1 F1	EN ISO 14116:2015 Index 3	EN ISO 11611:2015 A1 Class 1	EN 1149-5:2008	EN 13034:2005 +A1:2009 Type 6	IEC 61482-2:2009 Class 1

Guardian Lifetime Flame Retardant


- 98% Cotton / 2% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 240 GSM

FR

Features

> Suitable for Summer climate
> Elastic braces with buckle closure
> **Zipper fly** closure
> Chest pocket with safety flap and double concealed metal snap button closure
> Elastic waistband for improved fit
> Slanted side pockets with safety flap and plastic flame-retardant snap button closure
> Back pockets with safety flap and concealed metal snap button closure
> **Cargo pockets** with safety flap and double concealed metal snap button closure
> **Diamond tool pocket** with safety flap at right hand side leg
> **Kneepad pockets** with triple hook-and-loop adjustment
> Extendable hems (5cm)
> Reflective piping details on back pockets and cargo pocket
> Prolux® 50mm flame-retardant reflective striping





Available in colors:
Sizes in stock

Flaming Red *RE
EU 46-64

Vibrant Orange *OR
EU 46-64

Available on request: EU 42-72

Extensive Bartacks | 5 Thread Safety Stitch | YKK® One-Way Zipper

Dapro Roughneck Bib

PRODUCT CODE: WROUBLW-OR*

C4-2 Certification and fabric information

EN ISO 13688:2013 +A1:2021	EN ISO 11612:2015 A1 B1 C1 E0 F1	EN ISO 14116:2015 Index 3	EN 1149-5:2018	EN ISO 11611:2015 A1 Class 1	EN 13034:2005 +A1:2009 Type 6	EN 61482-2:2020 Class 1	EN 17353:2020 Type B3

Guardian Lifetime Flame Retardant


- 98% Cotton / 2% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 240 GSM


FR

Features

> Suitable for Summer climate
> Elastic braces with buckle closure
> **Zipper fly** closure
> Chest pocket with safety flap and double concealed metal snap button closure
> Elastic waistband for improved fit
> Slanted side pockets with safety flap and plastic flame-retardant snap button closure
> Back pockets with safety flap and concealed metal snap button closure
> **Cargo pockets** with safety flap and double concealed metal snap button closure
> **Diamond tool pocket** with safety flap at right hand side leg
> **Kneepad pockets** with triple hook-and-loop adjustment
> Extendable hems (5cm)
> Reflective piping details on back pockets and cargo pocket
> Prolux® 50mm flame-retardant reflective striping







Available in colors:
Sizes in stock

Flaming Red *RE
EU 46-64

Vibrant Orange *OR
EU 46-64

Available on request: EU 42-72

Extensive Bartacks

5 Thread Safety Stitch

YKK® One-Way Zipper

Dapro Roughneck Jacket

PRODUCT CODE: WROUJLW-NB*

C4 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1 E1 F1	EN ISO 14116:2015 Index 3	EN ISO 11611:2015 A1 Class 1	EN 1149-5:2008	EN 13034:2005 +A1:2009 Type 6	IEC 61482-2:2009 Class 1

Guardian Lifetime Flame Retardant


- 98% Cotton / 2% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 240 GSM

FR

Features

> Suitable for Summer climate
> Standing collar for extra protection
> Center front with concealed YKK® metal zipper and concealed metal snap button closure
> **Gas detector loops** at chest
> Chest pockets with safety flap and concealed metal snap button closure
> Ergonomically shaped arms
> **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
> Welted lower pockets with single concealed metal snap button closure
> **Adjustable cuffs** with plastic flame-retardant snap button closure
> Reflective piping details on front yoke, back yoke and lower sleeves
> Prolux® 50mm flame-retardant reflective striping





GUARANTEED STOCK

Available in colors:
Sizes in stock

Navy Blue *NB	Flaming Red *RE	Vibrant Orange *OR
EU 46-62	*EU 46-68*	*EU 46-66*

Available on request: EU 42-72

Extensive Bartacks	5 Thread Safety Stitch	YKK® One-Way Zipper	Double Gas Loop	Adjustable Cuffs

Dapro Roughneck Jacket

PRODUCT CODE: WROUJLW-RE*

C4 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1 E1 F1	EN ISO 14116:2015 Index 3	EN ISO 11611:2015 A1 Class 1	EN 1149-5:2008	EN 13034:2005 +A1:2009 Type 6	IEC 61482-2:2009 Class 1

Guardian Lifetime Flame Retardant


- 98% Cotton / 2% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 240 GSM

FR

Features

> Suitable for Summer climate
> Standing collar for extra protection
> Center front with concealed YKK® metal zipper and concealed metal snap button closure
> **Gas detector loops** at chest
> Chest pockets with safety flap and concealed metal snap button closure
> Ergonomically shaped arms
> **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
> Welted lower pockets with single concealed metal snap button closure
> **Adjustable cuffs** with plastic flame-retardant snap button closure
> Reflective piping details on front yoke, back yoke and lower sleeves
> Prolux® 50mm flame-retardant reflective striping





Available in colors:
Sizes in stock

Navy Blue *NB	Flaming Red *RE	Vibrant Orange *OR
EU 46-62	*EU 46-68*	*EU 46-66*

Available on request: EU 42-72

Extensive Bartacks	5 Thread Safety Stitch	YKK® One-Way Zipper	Double Gas Loop	Adjustable Hems/Cuffs
			2x	

Dapro Roughneck Jacket

PRODUCT CODE: WROUJLW-OR*

C4-2 Certification and fabric information

EN ISO 13688:2013 +A1:2021	EN ISO 11612:2015 A1 B1 C1 E0 F1	EN ISO 14116:2015 Index 3	EN 1149-5:2018	EN ISO 11611:2015 A1 Class 1	EN 13034:2005 +A1:2009 Type 6	EN 61482-2:2020 Class 1	EN 17353:2020 Type B3

Guardian Lifetime Flame Retardant


- 98% Cotton / 2% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 240 GSM

FR

Features

> Suitable for Summer climate
> Standing collar for extra protection
> Center front with concealed YKK® metal zipper and concealed metal snap button closure
> **Gas detector loops** at chest
> Chest pockets with safety flap and concealed metal snap button closure
> Ergonomically shaped arms
> **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
> Welted lower pockets with single concealed metal snap button closure
> **Adjustable cuffs** with plastic flame-retardant snap button closure
> Reflective piping details on front yoke, back yoke and lower sleeves
> Prolux® 50mm flame-retardant reflective striping





Available in colors:
Sizes in stock

Navy Blue *NB	Flaming Red *RE	Vibrant Orange *OR
EU 46-62	*EU 46-68*	*EU 46-66*

Available on request: EU 42-72

Extensive Bartacks	5 Thread Safety Stitch	YKK® One-Way Zipper	Double Gas Loop	Adjustable Hems/Cuffs

Dapro Roughneck Pant

PRODUCT CODE: WROUPLW-NB*

C4 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1 E1 F1	EN ISO 14116:2015 Index 3	EN ISO 11611:2015 A1 Class 1	EN 1149-5:2008	EN 13034:2005 +A1:2009 Type 6	IEC 61482-2:2009 Class 1

Guardian Lifetime Flame Retardant

- 98% Cotton / 2% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 240 GSM

FR

Features

> Suitable for Summer climate
> **Zipper fly** with concealed jeans button closure
> Elastic waistband for improved fit
> Slanted side pockets with safety flap and plastic flame-retardant snap button closure
> Back pockets with double fabric reinforcement, safety flap and concealed metal snap button closure
> **Cargo pocket** with safety flap and double concealed metal snap button closure at left hand side leg
> **Diamond tool pocket** at right hand side leg
> **Kneepad pockets** with triple hook-and-loop adjustment
> Extendable hems (5cm)
> Reflective piping details on back pockets and cargo pocket
> Prolux® 50mm flame-retardant reflective striping



GUARANTEED STOCK

Extensive Bartacks | 5 Thread Safety Stitch | YKK® One-Way Zipper

Available in colors:
Sizes in stock

Navy Blue *NB	Flaming Red *RE	Vibrant Orange *OR
EU 46-64	*EU 46-68*	*EU 50-66*

Available on request: EU 42-72

Dapro Roughneck Pant

PRODUCT CODE: WROUPLW-RE*

C4 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1 E1 F1	EN ISO 14116:2015 Index 3	EN ISO 11611:2015 A1 Class 1	EN 1149-5:2008	EN 13034:2005 +A1:2009 Type 6	IEC 61482-2:2009 Class 1

Guardian Lifetime Flame Retardant

- 98% Cotton / 2% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 240 GSM

FR

Features

> Suitable for Summer climate
> **Zipper fly** with concealed jeans button closure
> Elastic waistband for improved fit
> Slanted side pockets with safety flap and plastic flame-retardant snap button closure
> Back pockets with double fabric reinforcement, safety flap and concealed metal snap button closure
> **Cargo pocket** with safety flap and double concealed metal snap button closure at left hand side leg
> **Diamond tool pocket** at right hand side leg
> **Kneepad pockets** with triple hook-and-loop adjustment
> Extendable hems (5cm)
> Reflective piping details on back pockets and cargo pocket
> Prolux® 50mm flame-retardant reflective striping



Available in colors:
Sizes in stock

Navy Blue *NB	Flaming Red *RE	Vibrant Orange *OR
EU 46-64	*EU 46-68*	*EU 50-66*

Available on request: EU 42-72

Extensive Bartacks | 5 Thread Safety Stitch | YKK® One-Way Zipper

Dapro Roughneck Pant

PRODUCT CODE: WROUPLW-OR*

C4-2 Certification and fabric information

EN ISO 13688:2013 +A1:2021	EN ISO 11612:2015 A1 B1 C1 E0 F1	EN ISO 14116:2015 Index 3	EN 1149-5:2018	EN ISO 11611:2015 A1 Class 1	EN 13034:2005 +A1:2009 Type 6	EN 61482-2:2020 Class 1	EN 17353:2020 Type B3

Guardian Lifetime Flame Retardant

- 98% Cotton / 2% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 240 GSM

FR

Features

> Suitable for Summer climate
> **Zipper fly** with concealed jeans button closure
> Elastic waistband for improved fit
> Slanted side pockets with safety flap and plastic flame-retardant snap button closure
> Back pockets with double fabric reinforcement, safety flap and concealed metal snap button closure
> **Cargo pocket** with safety flap and double concealed metal snap button closure at left hand side leg
> **Diamond tool pocket** at right hand side leg
> **Kneepad pockets** with triple hook-and-loop adjustment
> Extendable hems (5cm)
> Reflective piping details on back pockets and cargo pocket
> Prolux® 50mm flame-retardant reflective striping



Available in colors:
Sizes in stock

Navy Blue *NB	Flaming Red *RE	Vibrant Orange *OR
EU 46-64	*EU 46-68*	*EU 50-66*

Available on request: EU 42-72

Extensive Bartacks | 5 Thread Safety Stitch | YKK® One-Way Zipper

Dapro Diamond Coverall

PRODUCT CODE: WDIACUHW-NB*

C4 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1 E1 F1	EN ISO 14116:2015 Index 3	EN ISO 11611:2015 A1 Class 1	EN 1149-5:2008	EN 13034:2005 +A1:2009 Type 6	IEC 61482-2:2009 Class 1

Guardian Lifetime Flame Retardant


- 60% Cotton / 39% Polyester / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 350 GSM


FR

Features

- Suitable for Continental climate
- Standing collar for extra protection
- Center front with concealed YKK® two-way zipper and metal snap button closure
- **Gas detector loops** at chest
- Chest pockets with safety flap and concealed nylon zipper closure
- Ergonomically shaped arms
- **Action armpits** for comfortable work above reach
- **Back pleats** for improved ergonomics and ultimate comfort with 45˚ degrees tack
- **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
- **Adjustable elastic waistband** for perfect fit
- Slanted side pockets with hook-and-loop closure
- **Side vents** with plastic flame-retardant snap button closure behind side pockets
- Back pockets with safety flap and concealed metal snap button closure
- **Cargo pocket** with safety flap and concealed metal snap button closure at left hand side leg
- **Diamond tool pocket** with safety flap at right hand side leg
- **Shaped kneepad pockets**
- **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- Reflective piping details on lower sleeves, back pockets and cargo pocket
- Prolux® 50mm flame-retardant reflective striping







Available in colors:
Sizes in stock

Navy Blue *NB	Royal Blue *RB	Vibrant Orange *OR	Flaming Red *RE
EU 44-68	*EU 46-66*	*EU 44-70*	*EU 44-72*

Available on request: EU 42-72

Extensive Bartacks · 5 Thread Safety Stitch · YKK® Two-Way Zipper · Double Gas Loop · Lower Arm Striping · Adjustable Hems/Cuffs · Action Armpit · Shaped Knee

Dapro Diamond Coverall

PRODUCT CODE: WDIACUHW-RB*

C4 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1 E1 F1	EN ISO 14116:2015 Index 3	EN ISO 11611:2015 A1 Class 1	EN 1149-5:2008	EN 13034:2005 +A1:2009 Type 6	IEC 61482-2:2009 Class 1

Guardian Lifetime Flame Retardant


- 60% Cotton / 39% Polyester / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 350 GSM


FR

Features

- Suitable for Continental climate
- Standing collar for extra protection
- Center front with concealed YKK® two-way zipper and metal snap button closure
- **Gas detector loops** at chest
- Chest pockets with safety flap and concealed nylon zipper closure
- Ergonomically shaped arms
- **Action armpits** for comfortable work above reach
- **Back pleats** for improved ergonomics and ultimate comfort with 45˚ degrees tack
- **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
- **Adjustable elastic waistband** for perfect fit
- Slanted side pockets with hook-and-loop closure
- **Side vents** with plastic flame-retardant snap button closure behind side pockets
- Back pockets with safety flap and concealed metal snap button closure
- **Cargo pocket** with safety flap and concealed metal snap button closure at left hand side leg
- **Diamond tool pocket** with safety flap at right hand side leg
- **Shaped kneepad pockets**
- **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- Reflective piping details on lower sleeves, back pockets and cargo pocket
- Prolux® 50mm flame-retardant reflective striping







Available in colors:
Sizes in stock

Navy Blue *NB	Royal Blue *RB	Vibrant Orange *OR	Flaming Red *RE
EU 44-68	*EU 46-66*	*EU 44-70*	*EU 44-72*

Available on request: EU 42-72

Extensive Bartacks · 5 Thread Safety Stitch · YKK® Two-Way Zipper · Double Gas Loop · Lower Arm Striping · Adjustable Hems/Cuffs · Action Armpit · Shaped Knee

Dapro Diamond Coverall

PRODUCT CODE: WDIACUHW-OR*

C4 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1 E1 F1	EN ISO 14116:2015 Index 3	EN ISO 11611:2015 A1 Class 1	EN 1149-5:2008	EN 13034:2005 +A1:2009 Type 6	IEC 61482-2:2009 Class 1

Guardian Lifetime Flame Retardant


- 60% Cotton / 39% Polyester / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 350 GSM


FR

Features

- Suitable for Continental climate
- Standing collar for extra protection
- Center front with concealed YKK® two-way zipper and metal snap button closure
- **Gas detector loops** at chest
- Chest pockets with safety flap and concealed nylon zipper closure
- Ergonomically shaped arms
- **Action armpits** for comfortable work above reach
- **Back pleats** for improved ergonomics and ultimate comfort with 45˚ degrees tack
- **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
- **Adjustable elastic waistband** for perfect fit
- Slanted side pockets with hook-and-loop closure
- **Side vents** with plastic flame-retardant snap button closure behind side pockets
- Back pockets with safety flap and concealed metal snap button closure
- **Cargo pocket** with safety flap and concealed metal snap button closure at left hand side leg
- **Diamond tool pocket** with safety flap at right hand side leg
- **Shaped kneepad pockets**
- **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- Reflective piping details on lower sleeves, back pockets and cargo pocket
- Prolux® 50mm flame-retardant reflective striping







GUARANTEED STOCK

Available in colors:
Sizes in stock

Navy Blue *NB	Royal Blue *RB	Vibrant Orange *OR	Flaming Red *RE
EU 44-68	*EU 46-66*	*EU 44-70*	*EU 44-72*

Available on request: EU 42-72



Extensive Bartacks | 5 Thread Safety Stitch | YKK® Two-Way Zipper | Double Gas Loop | Lower Arm Striping | Adjustable Hems/Cuffs | Action Armpit | Shaped Knee

Dapro Diamond Coverall

PRODUCT CODE: WDIACUHW-RE*

C4 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1 E1 F1	EN ISO 14116:2015 Index 3	EN ISO 11611:2015 A1 Class 1	EN 1149-5:2008	EN 13034:2005 +A1:2009 Type 6	IEC 61482-2:2009 Class 1

Guardian Lifetime Flame Retardant


- 60% Cotton / 39% Polyester / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 350 GSM


FR

Features

- Suitable for Continental climate
- Standing collar for extra protection
- Center front with concealed YKK® two-way zipper and metal snap button closure
- **Gas detector loops** at chest
- Chest pockets with safety flap and concealed nylon zipper closure
- Ergonomically shaped arms
- **Action armpits** for comfortable work above reach
- **Back pleats** for improved ergonomics and ultimate comfort with 45˚ degrees tack
- **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
- **Adjustable elastic waistband** for perfect fit
- Slanted side pockets with hook-and-loop closure
- **Side vents** with plastic flame-retardant snap button closure behind side pockets
- Back pockets with safety flap and concealed metal snap button closure
- **Cargo pocket** with safety flap and concealed metal snap button closure at left hand side leg
- **Diamond tool pocket** with safety flap at right hand side leg
- **Shaped kneepad pockets**
- **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- Reflective piping details on lower sleeves, back pockets and cargo pocket
- Prolux® 50mm flame-retardant reflective striping







Available in colors:
Sizes in stock

Navy Blue *NB	Royal Blue *RB	Vibrant Orange *OR	Flaming Red *RE
EU 44-68	*EU 46-66*	*EU 44-70*	*EU 44-72*

Available on request: EU 42-72

Extensive Bartacks · 5 Thread Safety Stitch · YKK® Two-Way Zipper · Double Gas Loop · Lower Arm Striping · Adjustable Hems/Cuffs · Action Armpit · Shaped Knee

Dapro Diamond Jacket

PRODUCT CODE: WDIAJUHW-RE*

C4 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1 E1 F1	EN ISO 14116:2015 Index 3	EN ISO 11611:2015 A1 Class 1	EN 1149-5:2008	EN 13034:2005 +A1:2009 Type 6	IEC 61482-2:2009 Class 1

Guardian Lifetime Flame Retardant


- 60% Cotton / 39% Polyester / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 350 GSM

FR

Features

> Suitable for Continental climate
> Standing collar for extra protection
> Center front with concealed YKK® metal zipper and metal snap button closure
> **Gas detector loops** at chest
> Chest pockets with safety flap and concealed metal snap button closure
> Ergonomically shaped arms
> **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
> Welted lower pockets with safety flap and concealed metal snap button closure
> **Adjustable cuffs** with plastic flame-retardant snap buttons
> Reflective piping details on front yoke, back yoke and lower sleeves
> Prolux® 50mm flame-retardant reflective striping





Available in colors:
Sizes in stock

Flaming Red *RE

EU 46-64

Available on request: EU 42-72

Extensive Bartacks | 5 Thread Safety Stitch | YKK® One-Way Zipper | Double Gas Loop | Adjustable Cuffs | Lower Arm Striping

Dapro Diamond Pant

PRODUCT CODE: WDIAPUHW-RE*

C4 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1 E1 F1	EN ISO 14116:2015 Index 3	EN ISO 11611:2015 A1 Class 1	EN 1149-5:2008	EN 13034:2005 +A1:2009 Type 6	IEC 61482-2:2009 Class 1

Guardian Lifetime Flame Retardant

- 60% Cotton / 39% Polyester / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 350 GSM

FR

Features

> Suitable for Continental climate
> **Zipper fly** with concealed jeans button closure
> Elastic waistband for improved fit
> Slanted side pockets with safety flap and plastic flame-retardant snap button closure
> Back pockets with double fabric reinforcement, safety flap and concealed metal snap button closure
> **Cargo pocket** with safety flap and double concealed metal snap button closure at left hand side leg
> **Diamond tool pocket** with safety flap at right hand side leg
> **Kneepad pockets** with triple hook-and-loop adjustment
> Extendable hems (5cm)
> Reflective piping details on back pockets and cargo pocket
> Prolux® 50mm flame-retardant reflective striping



Available in colors:
Sizes in stock

Flaming Red *RE

EU 46-64

Available on request: EU 42-72

Extensive Bartacks | 5 Thread Safety Stitch | YKK® One-Way Zipper

Dapro Spark Coverall

PRODUCT CODE: WSPACUHW-NB*

C4 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1 E1 F1	EN ISO 14116:2015 Index 3	EN ISO 11611:2015 A1 Class 1	EN 1149-5:2008	EN 13034:2005 +A1:2009 Type 6	IEC 61482-2:2009 Class 1

Guardian Lifetime Flame Retardant


- 60% Cotton / 39% Polyester / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 350 GSM


FR

Features

- Suitable for Continental climate
- Standing collar for extra protection
- Center front with **welding flap** and concealed metal snap button closure
- **Gas detector loops** at chest
- Chest pockets with safety flap and concealed metal snap button closure
- Ergonomically shaped arms
- **Action armpits** for comfortable work above reach
- **Back pleats** for improved ergonomics and ultimate comfort with 45° degrees tack
- **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
- **Adjustable elastic waistband** for perfect fit
- Slanted side pockets with hook-and-loop closure
- **Side vents** with safety flap and flame-retardant plastic snap button closure behind side pockets
- Back pockets with safety flap and concealed metal snap button closure
- **Cargo pocket** with safety flap and double concealed metal snap button closure at left hand side leg
- **Diamond tool pocket** with safety flap and double fabric reinforcement at right hand side leg
- **Shaped kneepad pockets**
- **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- Reflective piping details on lower sleeves, back pockets and cargo pocket
- Prolux® 50mm flame-retardant reflective striping







GUARANTEED STOCK

Available in colors:
Sizes in stock

Navy Blue *NB	Royal Blue *RB	Oil Black *BL
EU 46-70	*EU 48-66*	*EU 46-70*

Available on request: EU 42-72

Extensive Bartacks	5 Thread Safety Stitch	Double Gas Loop	Lower Arm Striping	Adjustable Hems/Cuffs	Action Armpit	Shaped Knee

Dapro Spark Coverall

PRODUCT CODE: WSPACUHW-RB*

C4 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1 E1 F1	EN ISO 14116:2015 Index 3	EN ISO 11611:2015 A1 Class 1	EN 1149-5:2008	EN 13034:2005 +A1:2009 Type 6	IEC 61482-2:2009 Class 1

Guardian Lifetime Flame Retardant


- 60% Cotton / 39% Polyester / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 350 GSM


FR

Features

- Suitable for Continental climate
- Standing collar for extra protection
- Center front with **welding flap** and concealed metal snap button closure
- **Gas detector loops** at chest
- Chest pockets with safety flap and concealed metal snap button closure
- Ergonomically shaped arms
- **Action armpits** for comfortable work above reach
- **Back pleats** for improved ergonomics and ultimate comfort with 45° degrees tack
- **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
- **Adjustable elastic waistband** for perfect fit
- Slanted side pockets with hook-and-loop closure
- **Side vents** with safety flap and flame-retardant plastic snap button closure behind side pockets
- Back pockets with safety flap and concealed metal snap button closure
- **Cargo pocket** with safety flap and double concealed metal snap button closure at left hand side leg
- **Diamond tool pocket** with safety flap and double fabric reinforcement at right hand side leg
- **Shaped kneepad pockets**
- **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- Reflective piping details on lower sleeves, back pockets and cargo pocket
- Prolux® 50mm flame-retardant reflective striping







Available in colors:
Sizes in stock

Navy Blue *NB	Royal Blue *RB	Oil Black *BL
EU 46-70	*EU 48-66*	*EU 46-70*

Available on request: EU 42-72



Extensive Bartacks | 5 Thread Safety Stitch | Double Gas Loop | Lower Arm Striping | Adjustable Hems/Cuffs | Action Armpit | Shaped Knee

Dapro Spark Coverall

PRODUCT CODE: WSPACUHW-BL*

C4 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1 E1 F1	EN ISO 14116:2015 Index 3	EN ISO 11611:2015 A1 Class 1	EN 1149-5:2008	EN 13034:2005 +A1:2009 Type 6	IEC 61482-2:2009 Class 1

Guardian Lifetime Flame Retardant


- 60% Cotton / 39% Polyester / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 350 GSM


FR

Features

- Suitable for Continental climate
- Standing collar for extra protection
- Center front with **welding flap** and concealed metal snap button closure
- **Gas detector loops** at chest
- Chest pockets with safety flap and concealed metal snap button closure
- Ergonomically shaped arms
- **Action armpits** for comfortable work above reach
- **Back pleats** for improved ergonomics and ultimate comfort with 45° degrees tack
- **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
- **Adjustable elastic waistband** for perfect fit
- Slanted side pockets with hook-and-loop closure
- **Side vents** with safety flap and flame-retardant plastic snap button closure behind side pockets
- Back pockets with safety flap and concealed metal snap button closure
- **Cargo pocket** with safety flap and double concealed metal snap button closure at left hand side leg
- **Diamond tool pocket** with safety flap and double fabric reinforcement at right hand side leg
- **Shaped kneepad pockets**
- **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- Reflective piping details on lower sleeves, back pockets and cargo pocket
- Prolux® 50mm flame-retardant reflective striping







GUARANTEED STOCK

Available in colors:
Sizes in stock

Navy Blue *NB	Royal Blue *RB	Oil Black *BL
EU 46-70	*EU 48-66*	*EU 46-70*

Available on request: EU 42-72

Extensive Bartacks	5 Thread Safety Stitch	Double Gas Loop	Lower Arm Striping	Adjustable Hems/Cuffs	Action Armpit	Shaped Knee

Dapro Spark Bib

PRODUCT CODE: WSPABUHW-NB*

C4 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1 E1 F1	EN ISO 14116:2015 Index 3	EN ISO 11611:2015 A1 Class 1	EN 1149-5:2008	EN 13034:2005 +A1:2009 Type 6	IEC 61482-2:2009 Class 1

Guardian Lifetime Flame Retardant


- 60% Cotton / 39% Polyester / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 350 GSM


FR

Features

- Suitable for Continental climate
- Elastic braces with buckle closure
- **Zipper fly** closure
- Chest pocket with safety flap and double concealed metal snap button closure
- Elastic waistband for improved fit
- Slanted side pockets with safety flap and plastic flame-retardant snap button closure
- **Side vents** with metal snap button closure behind side pockets
- Back pockets with fabric reinforcement, safety flap and concealed metal snap button closure
- **Cargo pocket** with safety flap and double concealed metal snap button closure at left hand side leg
- **Diamond tool pocket** with safety flap at right hand side leg
- **Kneepad pockets** with triple hook-and-loop adjustment
- Extendable hems (5cm)
- Reflective piping details on back pockets and cargo pocket
- Prolux® 50mm flame-retardant reflective striping







GUARANTEED STOCK

Extensive Bartacks | 5 Thread Safety Stitch | YKK® One-Way Zipper

Available in colors:
Sizes in stock

Navy Blue *NB

EU 48-64

Available on request: EU 42-72

Dapro Spark Jacket

PRODUCT CODE: WSPAJUHW-NB*

C4 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1 E1 F1	EN ISO 14116:2015 Index 3	EN ISO 11611:2015 A1 Class 1	EN 1149-5:2008	EN 13034:2005 +A1:2009 Type 6	IEC 61482-2:2009 Class 1

Guardian Lifetime Flame Retardant


- 60% Cotton / 39% Polyester / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 350 GSM

FR

Features

> Suitable for Continental climate
> Standing collar for extra protection
> Center front with **welding flap** and concealed metal snap button closure
> **Gas detector loops** at chest
> Chest pockets with safety flap and concealed metal snap button closure
> Ergonomically shaped arms
> **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
> Welted lower pockets with safety flap and concealed metal snap button closure
> **Adjustable cuffs** with plastic flame-retardant snap button closure
> Reflective piping details on front yoke, back yoke and lower sleeves
> Prolux® 50mm flame-retardant reflective striping





GUARANTEED STOCK

Available in colors:
Sizes in stock

Navy Blue *NB

EU 48-66

Available on request: EU 42-72

Extensive Bartacks | 5 Thread Safety Stitch | Double Gas Loop | Adjustable Cuffs | Lower Arm Striping

Dapro Spark Pant

PRODUCT CODE: WSPAPUHW-NB*

C4 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1 E1 F1	EN ISO 14116:2015 Index 3	EN ISO 11611:2015 A1 Class 1	EN 1149-5:2008	EN 13034:2005 +A1:2009 Type 6	IEC 61482-2:2009 Class 1

Guardian Lifetime Flame Retardant

- 60% Cotton / 39% Polyester / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 350 GSM

FR

Features

> Suitable for Continental climate
> **Zipper fly** with concealed jeans button closure
> Elastic waistband for improved fit
> Slanted side pockets with safety flap and plastic flame-retardant snap button closure
> Back pockets with double fabric reinforcement, safety flap and concealed metal snap button closure
> **Cargo pocket** with safety flap and double concealed metal snap button closure
> **Diamond tool pocket** with safety flap at right hand side leg
> **Kneepad pockets** with triple hook-and-loop adjustment
> Extendable hems (5cm)
> Reflective piping details on back pockets and cargo pocket
> Prolux® 50mm flame-retardant reflective striping



GUARANTEED STOCK

Extensive Bartacks | 5 Thread Safety Stitch | YKK® One-Way Zipper

Available in colors:
Sizes in stock

Navy Blue *NB

EU 48-64

Available on request: EU 42-72

Dapro Rope Access Coverall

PRODUCT CODE: WROACUHW-NB*

C4 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1 E1 F1	EN ISO 14116:2015 Index 3	EN ISO 11611:2015 A1 Class 1	EN 1149-5:2008	EN 13034:2005 +A1:2009 Type 6	IEC 61482-2:2009 Class 1

Guardian Lifetime Flame Retardant


- 60% Cotton / 39% Polyester / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 350 GSM

FR

Features

- Suitable for Continental climate
- Metal free
- Standing collar for extra protection
- Center front with concealed YKK® two-way **vislon zipper** and hook-and-loop closure
- **Gas detector loops** at chest
- **Name patch**es with hook-and-loop attachment above chest pockets
- Chest pockets with safety flap, **vislon zipper** and hook-and-loop closure
- Key attachment loops inside both chest pockets
- Ergonomically shaped arms
- **Action armpits** for comfortable work above reach
- **Back pleats** for improved ergonomics and ultimate comfort with 45° degrees tack
- **Adjustable elastic waistband** for perfect fit
- Slanted side pockets with safety flap and concealed hook-and-loop closure
- **Side vents** with plastic flame-retardant snap button closure behind side pockets
- 3D upper leg pockets with double compartment, safety flap, **vislon zipper** and hook-and-loop closure
- Back pockets with safety flap and hook-and-loop closure
- **Shaped kneepad pockets** made of abrasion resistant material
- **Adjustable cuffs** with plastic flame-retardant snap button closure
- Extendable hems (5cm)
- Reflective piping details on sleeves
- Prolux® 50mm flame-retardant reflective striping





Available in colors:
Sizes in stock

Navy Blue	*NB	Vibrant Orange	*OR
EU 48-64		*EU 48-64*	

Available on request: EU 42-72

Extensive Bartacks | 5 Thread Safety Stitch | YKK® Two-Way Zipper | Double Gas Loop | Lower Arm Striping | Adjustable Cuffs | Action Armpit | Shaped Knee

Dapro Rope Access Coverall

PRODUCT CODE: WROACUHW-OR*

C4 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1 E1 F1	EN ISO 14116:2015 Index 3	EN ISO 11611:2015 A1 Class 1	EN 1149-5:2008	EN 13034:2005 +A1:2009 Type 6	IEC 61482-2:2009 Class 1

Guardian Lifetime Flame Retardant


- 60% Cotton / 39% Polyester / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 350 GSM

FR

Features

- Suitable for Continental climate
- Metal free
- Standing collar for extra protection
- Center front with concealed YKK® two-way **vislon zipper** and hook-and-loop closure
- **Gas detector loops** at chest
- **Name patch**es with hook-and-loop attachment above chest pockets
- Chest pockets with safety flap, **vislon zipper** and hook-and-loop closure
- Key attachment loops inside both chest pockets
- Ergonomically shaped arms
- **Action armpits** for comfortable work above reach
- **Back pleats** for improved ergonomics and ultimate comfort with 45° degrees tack
- **Adjustable elastic waistband** for perfect fit
- Slanted side pockets with safety flap and concealed hook-and-loop closure
- **Side vents** with plastic flame-retardant snap button closure behind side pockets
- 3D upper leg pockets with double compartment, safety flap, **vislon zipper** and hook-and-loop closure
- Back pockets with safety flap and hook-and-loop closure
- **Shaped kneepad pockets** made of abrasion resistant material
- **Adjustable cuffs** with plastic flame-retardant snap button closure
- Extendable hems (5cm)
- Reflective piping details on sleeves
- Prolux® 50mm flame-retardant reflective striping





Available in colors:
Sizes in stock

Navy Blue	*NB	Vibrant Orange	*OR
EU 48-64		*EU 48-64*	

Available on request: EU 42-72

Extensive Bartacks · 5 Thread Safety Stitch · YKK® Two-Way Zipper · Double Gas Loop · Lower Arm Striping · Adjustable Cuffs · Action Armpit · Shaped Knee

Dapro Globe-Tech Coverall

PRODUCT CODE: WGTECHC-BL/HVYE*

C4-A Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1 F1	EN ISO 14116:2015 Index 3	EN ISO 11611:2015 A1 Class 1	EN 1149-5:2008	EN 13034:2005 +A1:2009 Type 6	IEC 61482-2:2009 Class 1

Guardian Inherent Flame Retardant

- 53% Modacrylic / 38% Cotton / 5% P-Aramid / 3% Polyamide / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 260 GSM

IFR

Features

- > Suitable for Temperate climate
- > Extra high collar protects against heavy wind and rain
- > High-visibility Yellow at front and back yoke
- > Center front with **welding flap** and concealed plastic flame-retardant snap button closure
- > **Gas detector loops** on chest at both sides
- > Ergonomically shaped arms
- > **Back pleats** for improved ergonomics and ultimate comfort with 45˚ degrees tack
- > Chest pockets with safety flap and concealed nylon zipper closure
- > **Adjustable elastic waistband** for perfect fit
- > Slanted side pockets with safety flap and concealed hook-and-loop closure
- > **Side vents** behind side pockets
- > Back pockets with safety flap and concealed plastic flame-retardant snap button closure
- > **Cargo pocket** with safety flap and double concealed plastic flame-retardant snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > **Shaped kneepad pockets**
- > **Adjustable cuffs** with plastic flame-retardant snap buttons
- > High-visibility piping details on chest pockets, back pockets, cargo pocket, tool pocket and lower legs
- > Prolux® 50mm flame-retardant reflective striping


Available in colors:
Sizes in stock


Oil Black	Hi-Vis Yellow	*BL/HVYE

EU 50-62

Available on request: EU 42-72







Extensive Bartacks | 5 Thread Safety Stitch | YKK® One-Way Zipper | Double Gas Loop | Adjustable Cuffs | Shaped Knee

Dapro Globe-Tech Bib

PRODUCT CODE: WGTECHB-BL/HVYE*

C4-A Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1 F1	EN ISO 14116:2015 Index 3	EN ISO 11611:2015 A1 Class 1	EN 1149-5:2008	EN 13034:2005 +A1:2009 Type 6	IEC 61482-2:2009 Class 1

Guardian Inherent Flame Retardant


- 53% Modacrylic / 38% Cotton / 5% P-Aramid / 3% Polyamide / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 260 GSM

IFR

Features

> Suitable for Temperate climate
> Elastic braces with buckle closure
> **Zipper fly** closure
> Chest pocket with safety flap and concealed plastic flame-retardant snap button closure
> Elastic waistband for improved fit
> Slanted side pockets with safety flap and concealed hook-and-loop closure
> **Side vents** with concealed plastic flame-retardant snap button closure behind side pockets
> Back pockets with safety flap and concealed plastic flame-retardant snap button closure
> **Cargo pocket** with safety flap and double concealed plastic flame-retardant snap button closure at left hand side leg
> **Diamond tool pocket** with safety flap at right hand side leg
> **Shaped kneepad pockets**
> High-visibility piping details on chest pocket, back pockets, cargo pocket, tool pocket and lower legs
> Prolux® 50mm flame-retardant reflective striping





Available in colors:
Sizes in stock

Oil Black | Hi-Vis Yellow | *BL/HVYE

EU 50-62

Available on request: EU 42-72

Extensive Bartacks | 5 Thread Safety Stitch | Shaped Knee

Dapro Globe-Tech Jacket

PRODUCT CODE: WGTECHJ-BL/HVYE*

C4-A Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1 F1	EN ISO 14116:2015 Index 3	EN ISO 11611:2015 A1 Class 1	EN 1149-5:2008	EN 13034:2005 +A1:2009 Type 6	IEC 61482-2:2009 Class 1

Guardian Inherent Flame Retardant

- 53% Modacrylic / 38% Cotton / 5% P-Aramid / 3% Polyamide / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 260 GSM

IFR

Features

> Suitable for Temperate climate
> Extra high collar to protect against heavy wind and rain
> High-visibility Yellow at front and back yoke
> Center front with concealed YKK® metal zipper with rubber puller and hook-and-loop closure
> **Gas detector loops** at chest
> Chest pockets with safety flap and concealed plastic flame-retardant snap button closure
> Ergonomically shaped arms
> Welted lower pockets with safety flap and hook-and-loop closure
> **Adjustable cuffs** with plastic flame-retardant snap button closure
> High-visibility piping details on chest pockets and lower pockets
> Prolux® 50mm flame-retardant reflective striping



Available in colors:
Sizes in stock

Oil Black	Hi-Vis Yellow	*BL/HVYE

EU 48-64

Available on request: EU 42-72

Extensive Bartacks | 5 Thread Safety Stitch | YKK® One-Way Zipper | Double Gas Loop | Lower Arm Striping | Adjustable Cuffs

Dapro Globe-Tech Pant

PRODUCT CODE: WGTECHP-BL/HVYE*

C4-A Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1 F1	EN ISO 14116:2015 Index 3	EN ISO 11611:2015 A1 Class 1	EN 1149-5:2008	EN 13034:2005 +A1:2009 Type 6	IEC 61482-2:2009 Class 1

Guardian Inherent Flame Retardant

- 53% Modacrylic / 38% Cotton / 5% P-Aramid / 3% Polyamide / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 260 GSM

IFR

Features

> Suitable for Temperate climate
> **Zipper fly** with concealed jeans button closure
> Elastic waistband for improved fit
> Slanted side pockets with concealed hook-and-loop closure
> Back pockets with safety flap and concealed plastic flame-retardant snap button closure
> **Cargo pocket** with safety flap and double concealed plastic flame-retardant snap button closure at left hand side leg
> **Diamond tool pocket** with safety flap at right hand side leg
> **Shaped kneepad pockets**
> High-visibility piping details on back pockets, cargo pocket, tool pocket and lower legs
> Prolux® 50mm flame-retardant reflective striping



Available in colors:
Sizes in stock

Oil Black	Hi-Vis Yellow	*BL/HVYE

EU 50-64

Available on request: EU 42-72

Extensive Bartacks | 5 Thread Safety Stitch | Shaped Knee

Dapro Globe-Tech Polo

PRODUCT CODE: WGTECHLP-BL/HVYE*

C11-00 Certification and fabric information

EN ISO 13688:2013 +A1:2021	EN ISO 11612:2015 A1 B1 C1	EN 1149-5:2018	EN 61482-2:2020 APC1

Inherent Flame Retardant
- 60% Modacrylic / 38% Cotton / 2% Dissipative Fiber
- Flame-retardant and Anti-static
- 220 GSM

IFR

Features

> Suitable for Temperate climate
> Collar closed with plastic flame-retardant sew-on buttons
> High-visibility Yellow at front and back yoke
> Chest pocket at left hand side
> Elastic cuffs



Available in colors:
Sizes in stock

Oil Black | Hi-Vis Yellow | *BL/HVYE

US M-2XL

Available on request: US 2XS-6XL

Extensive Bartacks

5 Thread Safety Stitch

Dapro Globe-Tech Shirt

PRODUCT CODE: WGTECHS-BL/HVYE*

C4-A Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1 F1	EN ISO 14116:2015 Index 3	EN ISO 11611:2015 A1 Class 1	EN 1149-5:2008	EN 13034:2005 +A1:2009 Type 6	IEC 61482-2:2009 Class 1

Guardian Inherent Flame Retardant

- 53% Modacrylic / 38% Cotton / 5% P-Aramid / 3% Polyamide / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 260 GSM

IFR

Features

> Suitable for Temperate climate
> Fusing, interlining material in collar
> Center front with concealed plastic flame-retardant snap button closure
> **Gas detector loops** at chest
> Chest pockets with safety flap and concealed plastic flame-retardant snap button closure
> **Adjustable cuffs** with concealed plastic flame-retardant snap button closure
> High-visibility piping details on chest pockets and back yoke



Available in colors:
Sizes in stock

Oil Black | Hi-Vis Yellow | *BL/HVYE

EU 48-64

Available on request: EU 42-72

Extensive Bartacks | 5 Thread Safety Stitch | Double Gas Loop | Adjustable Cuffs

Dapro Globe-Tech Sweater

PRODUCT CODE: WGTECHSW-BL/HVYE*

C23 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)

EN ISO 11612:2015 A1B1C1F1

IEC 61482-2:2018 APC1 ATPV=20.4cal/cm²

EN 13758-2:2003+A1:2006

EN 1149-5:2018 EN1149-3:2004


Inherent Flame Retardant
- 60% Modacrylic / 38% Cotton / 2% Dissipative Fiber
- Flame-retardant and Anti-static
- 220 GSM

IFR

Features

> Suitable for Temperate climate
> High-visibility Yellow at front and back yoke
> Chest pocket at left hand side
> Elastic cuffs and hem





Available in colors:
Sizes in stock

Oil Black | Hi-Vis Yellow | *BL/HVYE

US M-3XL

Available on request: US 2XS-6XL

Extensive Bartacks

5 Thread Safety Stitch

Dapro Volt Hi-Vis Class 2 Coverall

PRODUCT CODE: WVOL2C-NB/HVYE*

C4-A-3 Certification and fabric information

CE							
EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 A2 B1 C1 E1 F1	EN ISO 14116:2015 Index 3	EN ISO 11611:2015 A1+A2 Class 1	EN 1149-5:2018	EN 13034:2005 +A1:2009 Type 6	IEC 61482-2:2018 APC1	EN ISO 20471:2013 +A1:2016

Guardian Inherent Flame Retardant

- 45% Modacrylic / 46% Cotton / 5% P-Aramid / 3% Polyamide / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 260 GSM

IFR

Features

> Suitable for Temperate climate
> Standing collar for extra protection
> Center front with **welding flap** and concealed plastic flame-retardant snap button closure
> **Gas detector loops** at chest
> Ergonomically shaped arms
> **Action armpits** for comfortable work above reach
> **Back pleats** for improved ergonomics and ultimate comfort with 45˚ degrees tack
> **Pen pocket** with safety flap and plastic flame-retardant snap button closure at left hand side sleeve
> **Adjustable elastic waistband** for perfect fit
> Chest pockets with safety flap and concealed plastic flame-retardant snap button closure
> Side pockets with hook-and-loop closure
> **Side vents** with concealed plastic flame-retardant snap button closure
> Back pockets with safety flap and concealed plastic flame-retardant snap button closure
> **Cargo pocket** with safety flap and double concealed plastic flame-retardant snap button closure at left hand side leg
> **Diamond tool pocket** with safety flap at right hand side leg
> **Shaped kneepad pockets** made of abrasion resistant material
> **Adjustable cuffs and hems** with plastic flame-retardant snap buttons
> Reflective piping details on back pockets and cargo pocket
> Prolux® 50mm flame-retardant reflective striping


Available in colors:
Sizes in stock


Navy Blue	Hi-Vis Yellow	*NB/HVYE

EU 48-64

Available on request: EU 42-72







Extensive Bartacks | 5 Thread Safety Stitch | YKK® Two-Way Zipper | Double Gas Loop | Lower Arm Striping | Adjustable Hems/Cuffs | Action Armpit | Shaped Knee

Dapro Worker 1 Coverall Kneepads

PRODUCT CODE: WWOR1CKULW-NB*

Fabric information


- 100% Cotton
- Non flame retardant
- 200 GSM

NFR

Features

> Suitable for Tropical climate
> Center front with concealed metal snap button closure
> **Gas detector loop** on chest at right hand side
> Chest pockets with safety flap and concealed metal snap button closure
> Elastic waistband for improved fit
> Side pockets
> **Side vents** with safety flap and concealed metal snap button closure behind side pockets
> Back pocket with safety flap and concealed metal snap button closure at right hand side
> Slanted tool pocket at right hand side leg
> **Kneepad pockets**





Available in colors:
Sizes in stock

Navy Blue *NB	Royal Blue *RB	Vibrant Orange *OR	White *WH
EU 50-62	EU 48-62	EU 48-62	EU 50-62

Available on request: EU 42-72

Extensive Bartacks

5 Thread Safety Stitch

1x Single Gas Loop

Dapro Worker 1 Coverall Kneepads

PRODUCT CODE: WWOR1CKULW-RB*

Fabric information


- 100% Cotton
- Non flame retardant
- 200 GSM

NFR

Features

> Suitable for Tropical climate
> Center front with concealed metal snap button closure
> **Gas detector loop** on chest at right hand side
> Chest pockets with safety flap and concealed metal snap button closure
> Elastic waistband for improved fit
> Side pockets
> **Side vents** with safety flap and concealed metal snap button closure behind side pockets
> Back pocket with safety flap and concealed metal snap button closure at right hand side
> Slanted tool pocket at right hand side leg
> **Kneepad pockets**





Available in colors:
Sizes in stock

Navy Blue *NB	Royal Blue *RB	Vibrant Orange *OR	White *WH
EU 50-62	EU 48-62	EU 48-62	EU 50-62

Available on request: EU 42-72

Extensive Bartacks

5 Thread Safety Stitch

1x Single Gas Loop

Dapro Worker 1 Coverall Kneepads

PRODUCT CODE: WWOR1CKULW-OR*

Fabric information


- 100% Cotton
- Non flame retardant
- 200 GSM


NFR

Features

> Suitable for Tropical climate
> Center front with concealed metal snap button closure
> **Gas detector loop** on chest at right hand side
> Chest pockets with safety flap and concealed metal snap button closure
> Elastic waistband for improved fit
> Side pockets
> **Side vents** with safety flap and concealed metal snap button closure behind side pockets
> Back pocket with safety flap and concealed metal snap button closure at right hand side
> Slanted tool pocket at right hand side leg
> **Kneepad pockets**







Available in colors:
Sizes in stock

Navy Blue *NB
EU 50-62

Royal Blue *RB
EU 48-62

Vibrant Orange *OR
EU 48-62

White *WH
EU 50-62

Available on request: EU 42-72

Extensive Bartacks

5 Thread Safety Stitch

1x Single Gas Loop

Dapro Worker 1 Coverall Kneepads

PRODUCT CODE: WWOR1CKULW-WH*

Fabric information

- 100% Cotton
- Non flame retardant
- 200 GSM

NFR

Features

> Suitable for Tropical climate
> Center front with concealed metal snap button closure
> **Gas detector loop** on chest at right hand side
> Chest pockets with safety flap and concealed metal snap button closure
> Elastic waistband for improved fit
> Side pockets
> **Side vents** with safety flap and concealed metal snap button closure behind side pockets
> Back pocket with safety flap and concealed metal snap button closure at right hand side
> Slanted tool pocket at right hand side leg
> **Kneepad pockets**



Available in colors:
Sizes in stock

Navy Blue *NB	Royal Blue *RB	Vibrant Orange *OR	White *WH
EU 50-62	EU 48-62	EU 48-62	EU 50-62

Available on request: EU 42-72

Extensive Bartacks

5 Thread Safety Stitch

1x Single Gas Loop

Dapro Worker 2 Coverall

PRODUCT CODE: WWOR2C-NB*

Fabric information


- 100% Cotton
- Non flame retardant
- 200 GSM

NFR

Features

> Suitable for Tropical climate
> Standing collar for extra protection
> Center front with concealed YKK® two-way metal zipper and metal snap button closure
> Chest pockets with safety flap and concealed zipper closure
> **Pen pocket** at left hand side sleeve
> Elastic waistband for improved fit
> Side pockets
> **Side vents** with safety flap and concealed metal snap button closure behind side pockets
> Back pocket at right hand side
> Slanted tool pocket at right hand side leg
> **Adjustable cuffs and hems** with metal snap buttons
> Prolux® 50mm reflective striping





GUARANTEED STOCK

Available in colors:
Sizes in stock

Navy Blue *NB	Vibrant Orange *OR	Royal Blue *RB
EU 48-64	*EU 48-62*	*EU 48-62*

Available on request: EU 42-72

Extensive Bartacks
5 Thread Safety Stitch
YKK® Two-Way Zipper
Lower Arm Striping
Adjustable Hems/Cuffs

Dapro Worker 2 Coverall

PRODUCT CODE: WWOR2C-OR*

Fabric information


- 100% Cotton
- Non flame retardant
- 200 GSM

NFR

Features

> Suitable for Tropical climate
> Standing collar for extra protection
> Center front with concealed YKK® two-way metal zipper and metal snap button closure
> Chest pockets with safety flap and concealed zipper closure
> **Pen pocket** at left hand side sleeve
> Elastic waistband for improved fit
> Side pockets
> **Side vents** with safety flap and concealed metal snap button closure behind side pockets
> Back pocket at right hand side
> Slanted tool pocket at right hand side leg
> **Adjustable cuffs and hems** with metal snap buttons
> Prolux® 50mm reflective striping





GUARANTEED STOCK

Available in colors:
Sizes in stock

Navy Blue *NB	Vibrant Orange *OR	Royal Blue *RB
EU 48-64	*EU 48-62*	*EU 48-62*

Available on request: EU 42-72

Extensive Bartacks
5 Thread Safety Stitch
YKK® Two-Way Zipper
Lower Arm Striping
Adjustable Hems/Cuffs

Dapro Worker 2 Coverall

PRODUCT CODE: WWOR2C-RB*

Fabric information


- 100% Cotton
- Non flame retardant
- 200 GSM


NFR

Features

> Suitable for Tropical climate
> Standing collar for extra protection
> Center front with concealed YKK® two-way metal zipper and metal snap button closure
> Chest pockets with safety flap and concealed zipper closure
> **Pen pocket** at left hand side sleeve
> Elastic waistband for improved fit
> Side pockets
> **Side vents** with safety flap and concealed metal snap button closure behind side pockets
> Back pocket at right hand side
> Slanted tool pocket at right hand side leg
> **Adjustable cuffs and hems** with metal snap buttons
> Prolux® 50mm reflective striping







Available in colors:
Sizes in stock

Navy Blue *NB	Vibrant Orange *OR	Royal Blue *RB
EU 48-64	*EU 48-62*	*EU 48-62*

Available on request: EU 42-72

Extensive Bartacks
5 Thread Safety Stitch
YKK® Two-Way Zipper
Lower Arm Striping
Adjustable Hems/Cuffs


dapro
OUTERWEAR
SHOP ALL OUTERWEAR


Size guide Coverall/Jacket

SIZE			LENGHT (A)	CHEST (B)	WAIST (C)
42	32	3XS	158-167	76-96	70-90
44	34	2XS	158-170	78-98	71-91
46	36	XS	158-172	80-100	73-93
48	38	S	161-175	82-102	74-94
50	40	M	164-178	84-104	76-96
52	42		168-182	86-106	77-97
54	44	L	172-186	87-107	79-99
56	46		174-188	89-109	80-100
58	48	XL	177-191	91-111	82-102
60	50		179-193	93-113	83-103
62	52	2XL	182-196	94-114	85-105
64	54		183-202	96-116	88-108
66	56	3XL	184-202	97-117	91-111
68	58		185-202	99-119	94-114
70	60	4XL	187-202	100-120	96-116


Size guide Pants

SIZE			WAIST (C)	HIP (D)	INSEAM (E)
42	32	3XS	74-85	87-98	70-76
44	34	2XS	77-88	89-100	71-77
46	36	XS	80-91	91-102	72-78
48	38	S	83-94	93-104	74-80
50	40	M	86-97	95-106	75-81
52	42		88-100	97-109	76-82
54	44	L	91-103	100-112	79-85
56	46		94-106	103-115	80-86
58	48	XL	96-109	105-118	81-87
60	50		99-112	108-121	82-88
62	52	2XL	102-115	111-124	83-89
64	54		105-118	114-127	84-90
66	56	3XL	111-124	117-130	84-90
68	58		117-130	120-133	84-90
70	60	4XL	123-136	123-136	84-90


Measurements shown in centimeters



Iconography



Wearers side



Dapro Infinity Jacket

PRODUCT CODE: OINFJ-NB*

C9-1 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 14116:2015 Outer: Index 1 Inner: Index 3	EN 1149-5:2018	EN 13034:2005 +A1:2009 type PB[6]	EN 343:2019
CE				3 X

Guardian H2O Lifetime Flame Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM


Lining

- 100% Cotton
- Flame retardant
- 170 GSM

Features

> Fully taped seams
> Extra high collar to protect against heavy wind and rain
> Center front with concealed YKK® **vislon zipper** and hook-and-loop closure
> **Gas detector loops** at chest
> Chest pockets with safety flap and hook-and-loop closure
> **ID-flap** behind left hand side chest pocket flap
> **Goggle pocket** behind storm flap with nylon zipper closure
> **Inside pocket** with nylon zipper closure at left hand side
> Lower pockets with safety flap and hook-and-loop closure
> Lower side entry pockets with concealed nylon zipper closure
> **Adjustable cuffs** with hook-and-loop closure
> **Adjustable hem** with elastic cord
> Compatible with hood, fleece jacket & bodywarmer
> Compartment for storing hood in collar
> Prolux® 50mm flame-retardant reflective striping





GUARANTEED STOCK

Available in colors:
Sizes in stock

Navy Blue *NB — *US S-3XL*

Oil Black *BL — *US XS-3XL*

Available on request: US 2XS-5XL

Extensive Bartacks | 5 Thread Safety Stitch | Breathable Fabric | Waterproof | YKK® One-Way Zipper | Double Gas Loop | Adjustable Cuffs

Dapro Infinity Jacket

PRODUCT CODE: OINFJ-BL*

C9-1 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 14116:2015 Outer: Index 1 Inner: Index 3	EN 1149-5:2018	EN 13034:2005 +A1:2009 type PB[6]	EN 343:2019
CE				3 X

Guardian H2O Lifetime Flame Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM

Lining

- 100% Cotton
- Flame retardant
- 170 GSM

Features

> Fully taped seams
> Extra high collar to protect against heavy wind and rain
> Center front with concealed YKK® **vislon zipper** and hook-and-loop closure
> **Gas detector loops** at chest
> Chest pockets with safety flap and hook-and-loop closure
> **ID-flap** behind left hand side chest pocket flap
> **Goggle pocket** behind storm flap with nylon zipper closure
> **Inside pocket** with nylon zipper closure at left hand side
> Lower pockets with safety flap and hook-and-loop closure
> Lower side entry pockets with concealed nylon zipper closure
> **Adjustable cuffs** with hook-and-loop closure
> **Adjustable hem** with elastic cord
> Compatible with hood, fleece jacket & bodywarmer
> Compartment for storing hood in collar
> Prolux® 50mm flame-retardant reflective striping


Available in colors:
Sizes in stock

Navy Blue *NB — *US S-3XL*

Oil Black *BL — *US XS-3XL*

Available on request: US 2XS-5XL





Extensive Bartacks | 5 Thread Safety Stitch | Breathable Fabric | Waterproof | YKK® One-Way Zipper | Double Gas Loop | Adjustable Cuffs

Dapro Infinity Jacket

PRODUCT CODE: OINFJ-NB/HVYE*

C9-2 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 14116:2015 Outer: Index 1 Inner: Index 3	EN 1149-5:2018	EN 13034:2005 +A1:2009 type PB[6]	EN 343:2019	EN ISO 20471:2013 +A1:2016
CE				3 3 X	2

Guardian H2O Lifetime Flame Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM

Lining


- 100% Cotton
- Flame retardant
- 170 GSM

Features

> Fully taped seams
> Extra high collar to protect against heavy wind and rain
> Center front with concealed YKK® **vislon zipper** and hook-and-loop closure
> **Gas detector loops** at chest
> Chest pockets with safety flap and hook-and-loop closure
> **ID-flap** behind left hand side chest pocket flap
> **Goggle pocket** behind storm flap with nylon zipper closure
> **Inside pocket** with nylon zipper closure at left hand side
> Lower pockets with safety flap and hook-and-loop closure
> Lower side entry pockets with concealed nylon zipper closure
> **Adjustable cuffs** with hook-and-loop closure
> **Adjustable hem** with elastic cord
> Compatible with hood, fleece jacket & bodywarmer
> Compartment for storing hood in collar
> Prolux® 50mm flame-retardant reflective striping[1]

[1]New productions including shoulder reflection





GUARANTEED STOCK

Available in colors:
Sizes in stock

Navy Blue	Hi-Vis Yellow	*NB/HVYE

US XS-4XL

Navy Blue	Hi-Vis Orange	*NB/HVOR

US XS-4XL

Available on request: US 2XS-5XL

Extensive Bartacks | 5 Thread Safety Stitch | Breathable Fabric | Waterproof | YKK® One-Way Zipper | Double Gas Loop | Adjustable Cuffs

Dapro Infinity Jacket

PRODUCT CODE: OINFJ-NB/HVOR*

C9-2 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 14116:2015 Outer: Index 1 Inner: Index 3	EN 1149-5:2018	EN 13034:2005 +A1:2009 type PB[6]	EN 343:2019	EN ISO 20471:2013 +A1:2016
CE				3 3 X	2

Guardian H2O Lifetime Flame Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM


Lining
- 100% Cotton
- Flame retardant
- 170 GSM

Features

> Fully taped seams
> Extra high collar to protect against heavy wind and rain
> Center front with concealed YKK® **vislon zipper** and hook-and-loop closure
> **Gas detector loops** at chest
> Chest pockets with safety flap and hook-and-loop closure
> **ID-flap** behind left hand side chest pocket flap
> **Goggle pocket** behind storm flap with nylon zipper closure
> **Inside pocket** with nylon zipper closure at left hand side
> Lower pockets with safety flap and hook-and-loop closure
> Lower side entry pockets with concealed nylon zipper closure
> **Adjustable cuffs** with hook-and-loop closure
> **Adjustable hem** with elastic cord
> Compatible with hood, fleece jacket & bodywarmer
> Compartment for storing hood in collar
> Prolux® 50mm flame-retardant reflective striping[1]

[1]New productions including shoulder reflection





GUARANTEED STOCK

Available in colors:
Sizes in stock

Navy Blue	Hi-Vis Yellow	*NB/HVYE

US XS-4XL

Navy Blue	Hi-Vis Orange	*NB/HVOR

US XS-4XL

Available on request: US 2XS-5XL

Extensive Bartacks | 5 Thread Safety Stitch | Breathable Fabric | Waterproof | YKK® One-Way Zipper | Double Gas Loop | Adjustable Cuffs

Dapro C9 Hood

PRODUCT CODE: OC9HO-NB*

Fabric according to C9 Certification and fabric information

Norms with C9 outerwear jacket

EN ISO 13688:2013 (EN 340:2003)

EN ISO 14116:2015 Outer: index 1 Inner: index 3

EN 1149-5:2018

EN 13034:2005 +A1:2009 type PB[6]

EN 343:2019 3 3 x

Guardian H2O Lifetime Flame Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM

Lining
- 100% Cotton
- Flame retardant
- 170 GSM

Features

> Attaches easily to jacket with snap buttons and zipper
> Foldable and stowable in outerwear jacket collar
> To be worn with C9 outerwear jacket



Available in colors:
Sizes in stock

Navy Blue *NB

US 2XS-4XL

Available on request: US 2XS-5XL

Breathable Fabric

Waterproof

Dapro PU Hydrolite Rainsuit

PRODUCT CODE: OPUHR-NB*

C20 Certification and fabric information

EN ISO 13688:2013

EN ISO 14116:2015 Index 1

EN 1149-5:2008

EN 343:2003 +A1:2007 Restricted Wearing 3 1

- 50% Polyester / 50% PU
- Flame-retardant and Anti-static
- 190 GSM

Features

JACKET

> Fully taped seams
> Adjustable hood with drawcord concealed in the collar
> Extra high collar to protect against heavy wind and rain
> Center front with plastic snap button closure
> Lower pockets with safety flap
> Ventilation in back
> Windcatcher in sleeves
> Reflective striping on sleeves

PANTS

> Fully taped seams
> Elastic waist for improved ergonomics
> **Adjustable hems** with plastic snap button closure
> Reflective striping on legs

Also available separately:

Dapro PU Hydrolite Jacket

PRODUCT CODE: OPUHJ-NB*

Dapro PU Hydrolite Pant

PRODUCT CODE: OPUHP-NB*

Available in colors:
Sizes in stock

Navy Blue *NB

US S-3XL

Available on request: US 2XS-5XL



GUARANTEED STOCK

Breathable Fabric

Waterproof

Dapro Globe-Tech Jacket

PRODUCT CODE: OGTECHJ-BL/HVYE*

C15-1 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1 D3 E3 F1	EN ISO 14116:2015 Index 3	EN ISO 11611: 2015 A1 Class 1	EN 1149-5: 2018	EN 13034:2005 +A1:2009 Type PB[6]	EN 343:2019	EN 61482-2:2020 APC1	EN 17353:2020 Type B3
CE						3 3		

Guardian H2O Lifetime Flame Retardant


- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 300 GSM

Lining
- 100% Cotton
- Flame retardant
- 170 GSM

Features

> Fully taped seams
> High-visibility Yellow at front and back yoke
> Center front with concealed YKK® **vislon zipper** with rubber puller and hook-and-loop closure
> **Gas detector loops** at chest
> Spacious chest pocket with safety flap and hook-and-loop closure at right hand side
> **Goggle pocket** behind storm flap with nylon zipper
> Ergonomically shaped arms
> Welted lower pockets with safety flap and hook-and-loop closure
> **Adjustable cuffs** with hook-and-loop closure
> Compatible with hood, fleece jacket & bodywarmer
> Compartment for storing hood in collar
> High-visibility piping details on center front and lower pockets
> Prolux® 50mm flame-retardant reflective press-on striping





Available in colors:
Sizes in stock

Oil Black	Hi-Vis Yellow	*BL/HVYE

US S-3XL

Available on request: US XS-5XL

Extensive Bartacks | 5 Thread Safety Stitch | Breathable Fabric | Waterproof | YKK® One-Way Zipper | Double Gas Loop | Adjustable Cuffs

Dapro Spectre Softshell Jacket

PRODUCT CODE: OSPEJ-NB/HVYE*

C19-2 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 A2 B1 C2 F1	EN ISO 11611: 2015 A1 A2 Class 2	EN 1149-5: 2018	IEC 61482-2: 2018	EN 13034:2005 +A1:2009 Type PB[6]	EN ISO 20471:2013/ A1:2016
CE						2


Guardian H2O Softshell Lifetime Flame Retardant


- 48% Modacrylic / 33% Cotton / 18% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water repellent & windproof
- Chemical proof
- 400 GSM

Features

> Center front with **vislon zipper** and hook-and-loop closure
> **Gas detector loops** at chest
> Welted vertical chest pockets with concealed nylon zipper closure
> **Inside pocket** with snap button closure at both sides
> Welted lower pockets with concealed nylon zipper closure
> **Adjustable cuffs** with hook-and-loop closure
> **Adjustable hem** with elastic cord
> Compatible with Dapro outerwear jackets
> Prolux® 50mm flame-retardant reflective striping







Available in colors:
Sizes in stock

Navy Blue	Hi-Vis Yellow	*NB/HVYE

US S-3XL

Available on request: US 2XS-5XL

Extensive Bartacks	5 Thread Safety Stitch	Breathable Fabric	Water repellent	YKK® One-Way Zipper	Double Gas Loop	Lower Arm Striping	Adjustable Cuffs
					2x		

Dapro Protector 2 Coverall Reflect

PRODUCT CODE: OPRO2CR-HVOR*

C9-3 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 14116:2015 Outer: index 1 Inner: index 3	EN 1149-5:2018	EN 13034:2005 +A1:2009 Type 6	EN 343:2019	EN ISO 20471:2013 +A1:2016
CE				3 3 X	3

Guardian H2O Lifetime Flame Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM


Lining

- 100% Cotton
- Flame retardant
- 170 GSM

Features

> Fully taped seams
> Including zip-in hood with elastic cord, nylon zipper and hook-and-loop attachment
> Center front with storm flap, YKK® two-way **vislon zipper** and hook-and-loop closure
> **Gas detector loops** at chest
> 3D chest and upper leg pockets with safety flap and hook-and-loop closure
> **Goggle pocket** behind storm flap with nylon zipper closure
> Elastic waistband for improved fit
> Side pockets
> **Side vents** with safety flap and hook-and-loop closure behind side pockets
> **Shaped kneepad pockets** made of abrasion resistant material
> **Adjustable cuffs** with strap and plastic flame-retardant snap buttons
> Concealed **vislon zipper** with hook-and-loop closure at ankle to pull coverall over boots
> Prolux® 50mm & 25mm flame-retardant reflective striping





Available in colors:
Sizes in stock

Hi-Vis Orange *HVOR

US S-3XL

Available on request: US 2XS-5XL

Extensive Bartacks | 5 Thread Safety Stitch | Waterproof | YKK® Two-Way Zipper | Single Gas Loop | Lower Arm Striping | Adjustable Cuffs

Dapro Protector Bib

PRODUCT CODE: OPROB-NB/HVYE*

C9-2 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 14116:2015 Outer: index 1 Inner: index 3	EN 1149-5:2018	EN 13034:2005 +A1:2009 type PB[6]	EN 343:2019	EN ISO 20471:2013 +A1:2016
CE				3 3 x	2

Guardian H2O Lifetime Flame Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM

Lining

- 100% Cotton
- Flame retardant
- 170 GSM

Features

> Fully taped seams
> Elastic braces with buckle closure
> Welted chest pocket with concealed hook-and-loop closure
> Sides closed with concealed metal snap buttons
> Elastic waistband for improved fit
> **Zipper fly** closure
> Side pockets with safety flap and hook-and-loop closure
> **Side vents** behind side pockets
> Prolux® 50mm flame-retardant reflective striping



Available in colors:
Sizes in stock

Navy Blue | Hi-Vis Yellow | *NB/HVYE
US S-2XL

Navy Blue | Hi-Vis Orange | *NB/HVOR
US S-3XL

Available on request: US 2XS-5XL

Extensive Bartacks | 5 Thread Safety Stitch | YKK® One-Way Zipper | Breathable Fabric | Waterproof

Dapro Protector Bib

PRODUCT CODE: OPROB-NB/HVOR*

C9-2 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 14116:2015 Outer: index 1 Inner: index 3	EN 1149-5:2018	EN 13034:2005 +A1:2009 type PB[6]	EN 343:2019	EN ISO 20471:2013 +A1:2016
CE				3 3 x	2

Guardian H2O Lifetime Flame Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM

Lining

- 100% Cotton
- Flame retardant
- 170 GSM

Features

> Fully taped seams
> Elastic braces with buckle closure
> Welted chest pocket with concealed hook-and-loop closure
> Sides closed with concealed metal snap buttons
> Elastic waistband for improved fit
> **Zipper fly** closure
> Side pockets with safety flap and hook-and-loop closure
> **Side vents** behind side pockets
> Prolux® 50mm flame-retardant reflective striping



Available in colors:
Sizes in stock

Navy Blue | Hi-Vis Yellow | *NB/HVYE
US S-2XL

Navy Blue | Hi-Vis Orange | *NB/HVOR
US S-3XL

Available on request: US 2XS-5XL

Extensive Bartacks | 5 Thread Safety Stitch | YKK® One-Way Zipper | Breathable Fabric | Waterproof

Dapro Protector Pant

PRODUCT CODE: OPROP-NB*

C9-1 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 14116:2015 Outer: index 1 Inner: index 3	EN 1149-5:2018	EN 13034:2005 +A1:2009 type PB[6]	EN 343:2019
CE				3 3 x

Guardian H2O Lifetime Flame Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM

Lining

- 100% Cotton
- Flame retardant
- 170 GSM

Features

> Fully taped seams
> Elastic waistband for improved fit
> 7 Beltloops
> **Zipper fly** with metal snap button and hook-and-eye closure
> Side pockets with safety flap and hook-and-loop closure
> Prolux® 50mm flame-retardant reflective striping



Available in colors:
Sizes in stock

Navy Blue *NB

US S-4XL

Available on request: US 2XS-5XL

Extensive Bartacks | 5 Thread Safety Stitch | Breathable Fabric | Waterproof | YKK® One-Way Zipper

Dapro Protector Pant

PRODUCT CODE: OPROP-NB/HVYE*

C9-2 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 14116:2015 Outer: index 1 Inner: index 3	EN 1149-5:2018	EN 13034:2005 +A1:2009 type PB[6]	EN 343:2019	EN ISO 20471:2013 +A1:2016
CE				3 3 X	2

Guardian H2O Lifetime Flame Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM

Lining

- 100% Cotton
- Flame retardant
- 170 GSM

Features

> Fully taped seams
> Elastic waistband for improved fit
> 7 Beltloops
> **Zipper fly** with metal snap button and hook-and-eye closure
> Side pockets with safety flap and hook-and-loop closure
> Prolux® 50mm flame-retardant reflective striping



Available in colors:
Sizes in stock

Navy Blue | Hi-Vis Yellow | *NB/HVYE
US S-3XL

Navy Blue | Hi-Vis Orange | *NB/HVOR
US S-3XL

Available on request: US 2XS-5XL

Extensive Bartacks | 5 Thread Safety Stitch | Breathable Fabric | Waterproof | YKK® One-Way Zipper

Dapro Protector Pant

PRODUCT CODE: OPROP-NB/HVOR*

C9-2 Certification and fabric information

CE

EN ISO 13688:2013 (EN 340:2003)

EN ISO 14116:2015 Outer: index 1 Inner: index 3

EN 1149-5:2018

EN 13034:2005 +A1:2009 type PB[6]

3 3 x

EN 343:2019

2

EN ISO 20471:2013 +A1:2016

Guardian H2O Lifetime Flame Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM

Lining

- 100% Cotton
- Flame retardant
- 170 GSM

Features

> Fully taped seams
> Elastic waistband for improved fit
> 7 Beltloops
> **Zipper fly** with metal snap button and hook-and-eye closure
> Side pockets with safety flap and hook-and-loop closure
> Prolux® 50mm flame-retardant reflective striping



Available in colors:
Sizes in stock

Navy Blue	Hi-Vis Yellow	*NB/HVYE

US S-3XL

Navy Blue	Hi-Vis Orange	*NB/HVOR

US S-3XL

Available on request: US 2XS-5XL

Extensive Bartacks

5 Thread Safety Stitch

Breathable Fabric

Waterproof

YKK® One-Way Zipper

Dapro Protector Bodywarmer

PRODUCT CODE: OPROW-NB*

C9-1 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)

EN ISO 14116:2015 Outer: index 1 Inner: index 3

EN 1149-5:2018

EN 13034:2005 +A1:2009 type PB[6]

EN 343:2019 3 3 x

Guardian H2O Lifetime Flame Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM

Lining


- 100% Cotton
- Flame retardant
- 170 GSM

SUBZER INSULATION 150 GSM

Features

> Fully taped seams
> Center front with concealed **vislon zipper** and hook-and-loop closure
> **Gas detector loops** on chest at right hand side
> 3D chest pocket with safety flap and hook-and-loop closure at left hand side
> **ID-flap** behind left hand side chest pocket flap
> **Inside pocket** with nylon zipper at left hand side
> Welted lower pockets with safety flap and concealed hook-and-loop closure
> Prolux® 50mm flame-retardant reflective striping
> Certification only valid when worn with C9 outerwear jacket





GUARANTEED STOCK

Available in colors:
Sizes in stock

Navy Blue *NB

US XS-4XL

Available on request: US 2XS-5XL

Extensive Bartacks

5 Thread Safety Stitch

Breathable Fabric

Waterproof

YKK® One-Way Zipper

1x Single Gas Loop

Dapro Protector Bodywarmer

PRODUCT CODE: OPROW-NB/HVYE*

C9-2 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 14116:2015 Outer: index 1 Inner: index 3	EN 1149-5:2018	EN 13034:2005 +A1:2009 type PB[6]	EN 343:2019	EN ISO 20471:2013 +A1:2016
CE				3 3 x	2

Guardian H2O Lifetime Flame Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM

Lining

- 100% Cotton
- Flame retardant
- 170 GSM

SUBZER INSULATION 150 GSM

Features

> Fully taped seams
> Center front with concealed **vislon zipper** and hook-and-loop closure
> **Gas detector loops** on chest at right hand side
> 3D chest pocket with safety flap and hook-and-loop closure at left hand side
> **ID-flap** behind left hand side chest pocket flap
> **Inside pocket** with nylon zipper at left hand side
> Welted lower pockets with safety flap and concealed hook-and-loop closure
> Prolux® 50mm flame-retardant reflective striping
> Certification only valid when worn with C9 outerwear jacket



Available in colors:
Sizes in stock

Navy Blue | Hi-Vis Yellow | *NB/HVYE
US XS-5XL

Navy Blue | Hi-Vis Orange | *NB/HVOR
US S-4XL

Available on request: US 2XS-5XL

Extensive Bartacks | 5 Thread Safety Stitch | Breathable Fabric | Waterproof | YKK® One-Way Zipper | 1x Single Gas Loop

Dapro Protector Bodywarmer

PRODUCT CODE: OPROW-NB/HVOR*

C9-2 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)

EN ISO 14116:2015 Outer: index 1 Inner: index 3

EN 1149-5:2018

EN 13034:2005 +A1:2009 type PB[6]

EN 343:2019 — 3 3 x

EN ISO 20471:2013 +A1:2016 — 2

Guardian H2O Lifetime Flame Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM

Lining

- 100% Cotton
- Flame retardant
- 170 GSM

SUBZER INSULATION 150 GSM

Features

> Fully taped seams
> Center front with concealed **vislon zipper** and hook-and-loop closure
> **Gas detector loops** on chest at right hand side
> 3D chest pocket with safety flap and hook-and-loop closure at left hand side
> **ID-flap** behind left hand side chest pocket flap
> **Inside pocket** with nylon zipper at left hand side
> Welted lower pockets with safety flap and concealed hook-and-loop closure
> Prolux® 50mm flame-retardant reflective striping
> Certification only valid when worn with C9 outerwear jacket



Available in colors:
Sizes in stock

Navy Blue | Hi-Vis Yellow | *NB/HVYE
US XS-5XL

Navy Blue | Hi-Vis Orange | *NB/HVOR
US S-4XL

Available on request: US 2XS-5XL

Extensive Bartacks

5 Thread Safety Stitch

Breathable Fabric

Waterproof

YKK® One-Way Zipper

1x Single Gas Loop

Dapro Basic Fleece

PRODUCT CODE: OBASF-BL*

Certification and fabric information

CE

EN ISO 13688:2013
(EN 340:2003)


Guardian Fleece

- 100% Polyester
- 260 GSM

Features

> Center front with **vislon zipper** closure
> **Inside pocket** with concealed nylon zipper closure at left hand side
> Welted slanted lower pockets with concealed nylon zipper closure
> System loops at sleeves and neck for compatibility with outerwear jackets
> Elastic cuffs for improved ergonomics and ultimate comfort





GUARANTEED STOCK

Extensive Bartacks | 5 Thread Safety Stitch | Breathable Fabric | YYK® One-Way Zipper

Available in colors:
Sizes in stock

Oil Black *BL
US S-4XL

Available on request: US 2XS-5XL

Dapro Defender Fleece

PRODUCT CODE: ODEFF-NB*

C11-A Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1	EN ISO 14116:2015 Index 3	EN 1149-5:2008	IEC 61482-2:2009 ATPV:5,1cal/cm2


Guardian Fleece Lifetime Flame Retardant

- 60% Modacrylic / 38% Cotton / 2% Anti-static
- Flame-retardant and Anti-static
- 320 GSM

Features

> Center front with concealed YKK® **vislon zipper** and hook-and-loop closure
> **Inside pocket** with concealed nylon zipper closure at left hand side
> Welted slanted lower pockets with safety flap and concealed nylon zipper closure
> System loops at sleeves and neck for compatibility with outerwear jackets
> Elastic cuffs for improved ergonomics and ultimate comfort





GUARANTEED STOCK

Available in colors:
Sizes in stock

Navy Blue *NB
US XS-4XL

Royal Blue *RB
US XS-4XL

Available on request: US 2XS-5XL

Extensive Bartacks | 5 Thread Safety Stitch | YYK® One-Way Zipper

Dapro Defender Fleece

PRODUCT CODE: ODEFF-RB*

C11-A Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1	EN ISO 14116:2015 Index 3	EN 1149-5:2008	IEC 61482-2:2009 ATPV:5,1cal/cm2


Guardian Fleece Lifetime Flame Retardant

- 60% Modacrylic / 38% Cotton / 2% Anti-static
- Flame-retardant and Anti-static
- 320 GSM

Features

> Center front with concealed YKK® **vislon zipper** and hook-and-loop closure
> **Inside pocket** with concealed nylon zipper closure at left hand side
> Welted slanted lower pockets with safety flap and concealed nylon zipper closure
> Elastic cuffs for improved ergonomics and ultimate comfort
> System loops at sleeves and neck for compatibility with outerwear jackets





GUARANTEED STOCK

Available in colors:
Sizes in stock

Navy Blue *NB
US XS-4XL

Royal Blue *RB
US XS-4XL

Available on request: US 2XS-5XL

Extensive Bartacks | 5 Thread Safety Stitch | YYK® One-Way Zipper


dapro
BASE LAYER
SHOP ALL BASE LAYERS


Size guide Coverall/Jacket

SIZE			LENGHT (A)	CHEST (B)	WAIST (C)
42	32	3XS	158-167	76-96	70-90
44	34	2XS	158-170	78-98	71-91
46	36	XS	158-172	80-100	73-93
48	38	S	161-175	82-102	74-94
50	40	M	164-178	84-104	76-96
52	42		168-182	86-106	77-97
54	44	L	172-186	87-107	79-99
56	46		174-188	89-109	80-100
58	48	XL	177-191	91-111	82-102
60	50		179-193	93-113	83-103
62	52	2XL	182-196	94-114	85-105
64	54		183-202	96-116	88-108
66	56	3XL	184-202	97-117	91-111
68	58		185-202	99-119	94-114
70	60	4XL	187-202	100-120	96-116


Size guide Pants

SIZE			WAIST (C)	HIP (D)	INSEAM (E)
42	32	3XS	74-85	87-98	70-76
44	34	2XS	77-88	89-100	71-77
46	36	XS	80-91	91-102	72-78
48	38	S	83-94	93-104	74-80
50	40	M	86-97	95-106	75-81
52	42		88-100	97-109	76-82
54	44	L	91-103	100-112	79-85
56	46		94-106	103-115	80-86
58	48	XL	96-109	105-118	81-87
60	50		99-112	108-121	82-88
62	52	2XL	102-115	111-124	83-89
64	54		105-118	114-127	84-90
66	56	3XL	111-124	117-130	84-90
68	58		117-130	120-133	84-90
70	60	4XL	123-136	123-136	84-90


Measurements shown in centimeters



Iconography



Wearers side



Dapro Balaclava

PRODUCT CODE: UBAL-BL*

C1-00 Certification and fabric information

EN ISO 13688:2013 +A1:2021

EN ISO 11612:2015 A1 B1 C1

EN 1149-5:2018

Guardian Knit Inherent Flame Retardant

- 48% Modacrylic / 42% Cotton / 5% Kevlar / 3% Polyamide / 2 % Anti-static
- Flame-retardant and Anti-static
- 250 GSM

IFR

Features

> Unisex, one size fits all
> Comfortable fit
> Breathable and strechable fabric







Available in colors:
Sizes in stock

Black *BL

One Size

Dapro Frost Multi-Use Neck Protector

PRODUCT CODE: UFRON-BL*

C1-00 Certification and fabric information

EN ISO 13688:2013 +A1:2021

EN ISO 11612:2015 A1 B1 C1

EN 1149-5:2018

Guardian Knit Inherent Flame Retardant

- 48% Modacrylic / 42% Cotton / 5% Kevlar / 3% Polyamide / 2 % Anti-static
- Flame-retardant and Anti-static
- 250 GSM

IFR

Features

> Unisex, one size fits all



Available in colors:
Sizes in stock

Oil Black *BL

One Size

Dapro Frost Underwear Shirt

PRODUCT CODE: UFROS-BL*

C1 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)

EN ISO 11612:2015 A1 B1 C1

EN ISO 14116:2015 Index 3

EN 1149-5:2008

Guardian Knit Inherent Flame Retardant

- 48% Modacrylic / 42% Cotton / 5% Kevlar / 3% Polyamide / 2 % Anti-static
- Flame-retardant and Anti-static
- 250 GSM

IFR

Features

> Comfortable fit

> Breathable and strechable fabric



Available in colors:
Sizes in stock

Oil Black *BL

US S-3XL

Available on request: US 2XS-5XL

Breathable Fabric

Dapro Frost Underwear Pant

PRODUCT CODE: UFROP-BL*

C1 Certification and fabric information

EN ISO 13688:2013 (EN 340:2003)

EN ISO 11612:2015 A1 B1 C1

EN ISO 14116:2015 Index 3

EN 1149-5:2008

Guardian Knit Inherent Flame Retardant

- 48% Modacrylic / 42% Cotton / 5% Kevlar / 3% Polyamide / 2 % Anti-static
- Flame-retardant and Anti-static
- 250 GSM

IFR

Features

> Comfortable fit

> Breathable and strechable fabric



Available in colors:
Sizes in stock

Oil Black *BL

US S-3XL

Available on request: US 2XS-5XL

Breathable Fabric




KIDS

Size guide Coverall

EU	CHEST (A)	WAIST STRETCHED (B)	HIP (C)	INSEAM (D)	SLEEVE LENGTH (E)
92	63-67	55-59	48-52	33-37	31-35
98	65-69	57-61	51-55	36-40	33-37
104	68-72	59-63	55-59	39-43	35-39
110	70-74	62-66	58-62	43-47	37-41
116	72-76	64-68	61-65	46-50	39-43
122	75-79	66-70	65-69	49-53	41-45
128	78-82	69-73	68-72	53-57	43-47
134	81-85	72-76	72-76	56-60	44-48
140	84-88	76-80	75-79	60-64	46-50
146	87-91	79-83	79-83	63-67	48-52
152	90-94	82-86	82-86	67-71	50-54
158	93-97	85-89	85-89	70-74	52-56
164	96-100	88-92	88-92	74-78	54-58

Measurements shown in centimeters



Iconography

Extensive Bartacks

5 Thread Safety Stitch

Breathable Fabric

Waterproof

YKK® One-Way Zipper

YKK® Two-Way Zipper

1x

Single Gas Loop

2x

Double Gas Loop


Lower Arm Striping

Adjustable Hems/Cuffs

Action Armpit

Shaped Knee

Wearers side



Dapro Kids Coverall

PRODUCT CODE: WKIDSC-NB*

Fabric information


- 100% Cotton
- Non flame retardant
- 200-220 GSM


NFR

Features

> Center front with YKK® two-way **vislon zipper** closure
> Chest pockets with safety flap and metal snap button closure
> **Adjustable elastic waistband** for perfect fit
> Slanted side pockets
> Back pocket at right hand side
> **Adjustable cuffs** with plastic snap buttons







Available in colors:
Sizes in stock

Navy Blue *NB	Royal Blue *RB	Vibrant Orange *OR
EU 92-164	*EU 92-164*	*EU 92-164*

Extensive Bartacks
5 Thread Safety Stitch
YKK® Two Way Zipper
Adjustable Cuffs

Dapro Kids Coverall

PRODUCT CODE: WKIDSC-RB*

Fabric information


- 100% Cotton
- Non flame retardant
- 200-220 GSM


NFR

Features

> Center front with YKK® two-way **vislon zipper** closure
> Chest pockets with safety flap and metal snap button closure
> **Adjustable elastic waistband** for perfect fit
> Slanted side pockets
> Back pocket at right hand side
> **Adjustable cuffs** with plastic snap buttons







Available in colors:
Sizes in stock

Navy Blue *NB	Royal Blue *RB	Vibrant Orange *OR
EU 92-164	*EU 92-164*	*EU 92-164*

Extensive Bartacks
5 Thread Safety Stitch
YKK® Two Way Zipper
Adjustable Cuffs

Dapro Kids Coverall

PRODUCT CODE: WKIDSC-OR*

Fabric information


- 100% Cotton
- Non flame retardant
- 200-220 GSM

NFR

Features

> Center front with YKK® two-way **vislon zipper** closure
> Chest pockets with safety flap and metal snap button closure
> **Adjustable elastic waistband** for perfect fit
> Slanted side pockets
> Back pocket at right hand side
> **Adjustable cuffs** with plastic snap buttons





Available in colors:
Sizes in stock

Navy Blue *NB	Royal Blue *RB	Vibrant Orange *OR
EU 92-164	*EU 92-164*	*EU 92-164*

Extensive Bartacks
5 Thread Safety Stitch
YKK® Two Way Zipper
Adjustable Cuffs


dapro
EYEWEAR
SHOP ALL EYEWEAR

Dapro Offshore Glasses

PRODUCT CODE: EOFF-NB/CL*

Certification

Frame Marking	Lens Marking
CE	CE
CE DAP EN 166 F	CE 5-3,1 DAP 1F

Features

> Curved based polycarbonate lens for perfect 180 degrees vision
> 4A coated lens, anti-scratch, anti UV, antistatic and anti-fog
> Adjustable side arm lengths for maximum adaptability
> Extremely tough rubber hinges
> Impact resistance 6mm steel ball at 45 m/s
> UV absorption 100% up to 390nm
> Heat resistant up to 80 degrees Celsius
> Abrasion resistant as per EN 166 standard
> Also suitable for protection against fireworks and as sports glasses/ cycling glasses



GUARANTEED STOCK

Available in colors:
Sizes in stock

Navy blue Dark Lens *NB/DA

Navy blue Clear Lens *NB/CL

One Size

Dapro Offshore Glasses

PRODUCT CODE: EOFF-NB/DA*

Certification

Frame Marking	Lens Marking
CE	CE
CE DAP EN 166 F	CE 5-3,1 DAP 1F

Features

> Curved based polycarbonate lens for perfect 180 degrees vision
> 4A coated lens, anti-scratch, anti UV, antistatic and anti-fog
> Adjustable side arm lengths for maximum adaptability
> Extremely tough rubber hinges
> Impact resistance 6mm steel ball at 45 m/s
> UV absorption 100% up to 390nm
> Heat resistant up to 80 degrees Celsius
> Abrasion resistant as per EN 166 standard
> Also suitable for protection against fireworks and as sports glasses/ cycling glasses



Available in colors:
Sizes in stock

Navy blue | Dark Lens | *NB/DA

Navy blue | Clear Lens | *NB/CL

One Size



ACCESSORIES

Dapro Kneepads

PRODUCT CODE: WSKNE-EB*

Features

> Light weight and comfortable
> Resillient and flexible
> Ergonomic design



GUARANTEED STOCK

Available in colors:

Electric Blue *EB

Sizes in Stock: One Size

Dapro Offshore Bag

PRODUCT CODE: SOFFTBAG-BL*

Features

> Robust and water-resistant offshore bag
> Backpack function
> Ergonomic adjustable shoulder straps
> Hard flexible corner protection
> Enforced water resistant zippers
> A large protected namecard holder
> Extra zipper pocket for covering shoulder straps
> Handles on both ends
> Padded shoulder strap for ultimate comfort
> Size:
  Length: 60cm
  Width: 30cm
  Height: 30cm



Available in colors:

Black *BL

Dapro Phoenix Socks

PRODUCT CODE: UPHOSO-BL*

Fabric information

- 75% Cotton / 17% Polyester / 8% Spandex
- Non flame retardant

NFR

Features

> Comfortable fit
> Breathable sweat-absorbent and strechable fabric
> Fully fashioned knit
> Anti-bacterial



Available in colors:
Sizes in stock

Navy Blue *NB
Black *BL

EU 36-40/M (women)
EU 41-46/L (men)

Breathable Fabric

Dapro Phoenix Socks

PRODUCT CODE: UPHOSO-NB*

Fabric information

- 75% Cotton / 17% Polyester / 8% Spandex
- Non flame retardant

NFR

Features

> Comfortable fit
> Breathable sweat-absorbent and strechable fabric
> Fully fashioned knit
> Anti-bacterial



Available in colors:
Sizes in stock

Navy Blue *NB | Black *BL

EU 36-40/M (women)
EU 41-46/L (men)

Breathable Fabric


dapro
FOOTWEAR
SHOP ALL FOOTWEAR


Size guide Footwear

SHOE LENGTH (A)

EU	35	36	37	38	39	40	41	42	43	44	45	46	47	48
UK	2	3	4	4½	5½	6	6½	7½	8½	9	10	11	12	13
USA	3½	4	5	5½	6½	7	7½	8½	9½	10	11	12	13	14
IN	1	2	3	4	5	6	7	8	9	10	11	12	13	14
Mondopoint	217	225	232	240	247	255	262	270	277	285	292	300	307	315

SHOE WIDTH (B)

EU	35	36	37	38	39	40	41	42	43	44	45	46	47	48
D	83	85	87	89	91	93	95	97	99	101	104	106	108	110
E	86	88	90	92	94	96	98	100	102	104	106	109	111	113
EE	88	90	92	95	97	99	101	103	105	107	109	112	114	116
EEE	91	93	95	97	99	102	104	106	108	110	112	114	117	119
EEEE	93	95	97	99	102	105	107	109	111	113	115	117	120	122



Foot width (B) is measured with the subject standing barefoot and the weight of the body equally distributed on both feet. The size of the left and right foot is often slightly different - in this case measure both feet and the shoe size is based on the larger foot.

Mondopoint is based on the mean foot length (A) for which the shoe is suitable, measured in millimeters. The width of a foot (B) is also measured in millimeters.

When establishing your size, base it on your largest measurement.

Iconography


Anti-Slip


Anti-Shock Heel


Breathable Leather


Protective Toe Cap


Water Resistant Leather


Water Proof


Hydrocarbon Resistant Sole


Anti Perforation Midsole


Anti-Static Sole

Dapro Baron S3 C

PRODUCT CODE: FBARS3C-BL/BL*

Certification and Information

VR1S3C

CE

EN ISO 20345: 2011
S3 SRC

Oil	★★★★☆	Traction	★★★★☆
Heat	★★★★☆	Comfort	★★★★☆
Chemical	★★★★☆	Non-marking	✔
Abrasion	★★★★☆		

Features

> Water resistant leather upper
> Abrasion resistant material used in the collar
> Lace-up system for secure fit
> PU bump cap / scuff cap
> Anti-perforation steel mid plate
> Steel toe cap
> EVA insole
> PU/PU light weight sole for comfort
> Slip resistant sole
> Oil resistant sole
> Heat resistant sole up to 160 degrees Celsius
> Anti-static sole
> Energy absorption in the heel



GUARANTEED STOCK

Available colors and sizes:

Black *BL/BL
EU 35-48

Available on request:

Brown *BR/BR
EU 35-48

Anti-Perforation Midsole
Anti-Static Sole
Anti-Slip Sole
Anti-Shock Heel
Water Resistant Leather
Hydrocarbon Resistant Sole
Breathable Leather
Protective Toe Cap

Dapro Noble S3 C

PRODUCT CODE: FNOBS3C-BL/BL*

Certification and Information

VR2S3C

CE

EN ISO 20345:2022
S3 SRC

Oil	★★★★☆	Traction	★★★★☆
Heat	★★★★☆	Comfort	★★★★☆
Chemical	★★★★☆	Non-marking	✔
Abrasion	★★★★☆		

Features

> Water resistant leather upper
> Abrasion resistant material used in the collar
> Lace-up system for secure fit
> PU bump cap / scuff cap
> Anti-perforation steel mid plate
> Steel toe cap
> EVA insole
> PU/PU light weight sole for comfort
> Slip resistant sole
> Oil resistant sole
> Heat resistant sole up to 160 degrees Celsius
> Anti-static sole
> Energy absorption in the heel





GUARANTEED STOCK

Available colors and sizes:

Black *BL/BL
EU 35-48

Brown *BR/BR[2]
[2]In stock while supplies last

Anti-Perforation Midsole
Anti-Static Sole
Anti-Slip Sole
Anti-Shock Heel
Water Resistant Leather
Hydrocarbon Resistant Sole
Breathable Leather
Protective Toe Cap

Dapro Noble S3 C

PRODUCT CODE: FNOBS3C-BR/BR*

Certification and Information

VR2S3C

CE

EN ISO 20345:2022
S3 SRC

Oil	★★★★☆	Traction	★★★★☆
Heat	★★★★☆	Comfort	★★★★☆
Chemical	★★★★☆	Non-marking	✔
Abrasion	★★★★☆		

Features

> Water resistant leather upper
> Abrasion resistant material used in the collar
> Lace-up system for secure fit
> PU bump cap / scuff cap
> Anti-perforation steel mid plate
> Steel toe cap
> EVA insole
> PU/PU light weight sole for comfort
> Slip resistant sole
> Oil resistant sole
> Heat resistant sole up to 160 degrees Celsius
> Anti-static sole
> Energy absorption in the heel





Available colors and sizes:

Black ✔ *BL/BL
EU 35-48

Brown *BR/BR[2]
[2]In stock while supplies last

Anti-Perforation Midsole

Anti-Static Sole

Anti-Slip Sole

Anti-Shock Heel

Water Resistant Leather

Hydrocarbon Resistant Sole

Breathable Leather

Protective Toe Cap

Dapro Noble Welding S3 C

PRODUCT CODE: FNOBWS3C-BL/BL*

Certification and Information

VR2WS3C

CE

EN ISO 20345: 2011
S3 SRC

Oil	★★★★☆	Traction	★★★★☆
Heat	★★★★☆	Comfort	★★★★☆
Chemical	★★★★☆	Non-marking	✔
Abrasion	★★★★☆		

Features

- Water resistant leather upper
- Abrasion resistant material used in the collar
- Protective leather flap against welding sparks with hook-and-loop closure
- PU bump cap / scuff cap
- Anti-perforation steel mid plate
- Steel toe cap
- EVA insole
- PU/PU light weight sole for comfort
- Slip resistant sole
- Oil resistant sole
- Heat resistant sole up to 160 degrees Celsius
- Anti-static sole
- Energy absorption in the heel





Available colors and sizes:

Black *BL/BL

EU 37-47

Available on request:

Brown *BR/BR

EU 37-47

Anti-Perforation Midsole

Anti-Static Sole

Anti-Slip Sole

Anti-Shock Heel

Water Resistant Leather

Hydrocarbon Resistant Sole

Breathable Leather

Protective Toe Cap

Dapro Dauntless S3 C

PRODUCT CODE: FDAUS3C-BL/BL*

Certification and Information

VR3S3C

CE

EN ISO 20345: 2011
S3 SRC

Oil	★★★★☆	Traction	★★★★☆
Heat	★★★★☆	Comfort	★★★★☆
Chemical	★★★★☆	Non-marking	✔
Abrasion	★★★★☆		

Features

> Water resistant leather upper
> Abrasion resistant material used in the collar
> Lace-up system for secure fit
> PU bump cap / scuff cap
> Anti-perforation steel mid plate
> Steel toe cap
> EVA insole
> PU/PU light weight sole for comfort
> Slip resistant sole
> Oil resistant sole
> Heat resistant sole up to 160 degrees Celsius
> Anti-static sole
> Energy absorption in the heel



Available colors and sizes:

Black *BL/BL

EU 37-46

Available on request: *EU 35-36, 47-50*

Anti-Perforation Midsole

Anti-Static Sole

Anti-Slip Sole

Anti-Shock Heel

Water Resistant Leather

Hydrocarbon Resistant Sole

Breathable Leather

Protective Toe Cap

Dapro Intrepid S3 C

PRODUCT CODE: FINTS3C-BL/BL*

Certification and Information

VR4S3C

CE

EN ISO 20345: 2011
S3 SRC

Oil	★★★★☆	Traction	★★★★☆
Heat	★★★★☆	Comfort	★★★★☆
Chemical	★★★★☆	Non-marking	✔
Abrasion	★★★★☆		

Features

> Water resistant leather upper
> Reinforced leather pull up loops for easier instep
> PU bump cap / scuff cap
> Anti-perforation steel mid plate
> Steel toe cap
> EVA insole
> PU/PU light weight sole for comfort
> Slip resistant sole
> Oil resistant sole
> Heat resistant sole up to 160 degrees Celsius
> Anti-static sole
> Energy absorption in the heel





Available colors and sizes:

Black *BL/BL
EU 38-47

Available on request:

Brown *BR/BR
EU 38-47

Available on request: *EU 35-37, 48-50*

Anti-Perforation Midsole

Anti-Static Sole

Anti-Slip Sole

Anti-Shock Heel

Water Resistant Leather

Hydrocarbon Resistant Sole

Breathable Leather

Protective Toe Cap

Dapro Black Phoenix C S3 C

PRODUCT CODE: FBLACS3C-BL/WH*

Certification and Information

SR1CS3C

CE

EN ISO 20345:2022
S3S FO SR SC
EN 61340-5-1:2016
ESD

Oil	★★★★★	Traction	★★★★★
Heat	★★★★★	Comfort	★★★★★
Chemical	★★★★★	Non-marking	✔
Abrasion	★★★★★		

ESD

Features

- Non-magnetic
- Nubuck finish microfiber upper
- Lace-up system for secure fit
- TPU Abrasion resistant cuff nose / scuff cap
- Anti-perforation textile mid plate (APT)
- Composite toe cap
- Anti-bacterial polyester mesh lining and 3D EVA insole
- Slip resistant sole
- Oil resistant sole
- Heat resistant sole up to 160 degrees Celsius
- Anti-static ESD PU/Rubber sole with Carbon plate for comfort, durability and light weight
- Energy absorption in the heel



Available colors and sizes:

Black | White | *BL/WH

EU 37-47

Anti-Perforation Midsole

Anti-Static Sole

Anti-Slip Sole

Anti-Shock Heel

Water Resistant Upper

Hydrocarbon Resistant Sole

Breathable Leather

Protective Toe Cap

Dapro Elements 2 S3 C

PRODUCT CODE: FELE2S3C-BL/BL*

Certification and Information

MR2S3C

CE

EN ISO 20345: 2011
S3 SRC

Oil	★★★★★	Traction	★★★★☆
Heat	★★★★☆	Comfort	★★★★★
Chemical	★★★★☆	Non-marking	✔
Abrasion	★★★★☆		

Features

> Water resistant full grain leather upper
> Abrasion resistant material used in the collar
> Lace-up system for secure fit
> PU bump cap / scuff cap
> Anti-perforation steel mid plate
> Steel toe cap
> Anti-bacterial polyester mesh lining and 3D EVA insole
> PU/PU light weight sole for comfort
> Slip resistant sole
> Oil resistant sole
> Heat resistant sole up to 160 degrees Celsius
> Anti-static sole
> Energy absorption in the heel



GUARANTEED STOCK

Available colors and sizes:

Black *BL/BL

EU 35-48

Available on request: EU 49-50

Anti-Perforation Midsole
Anti-Static Sole
Anti-Slip Sole
Anti-Shock Heel
Water Resistant Leather
Hydrocarbon Resistant Sole
Breathable Leather
Protective Toe Cap

Dapro Elements 2 Pro C S3 C

PRODUCT CODE: FELE2CS3C-BL/BL*

Certification and Information

HR2CS3C

CE

EN ISO 20345:2022
S3S FO SR HRO SC
EN 61340-5-1:2016
ESD

ASTM INTERNATIONAL

F2413-18
M/I/C
SD10/PR
F3445-21
SR

Oil	★★★★★	Traction	★★★★★
Heat	★★★★★	Comfort	★★★★★
Chemical	★★★★★	Non-marking	✔
Abrasion	★★★★★		

ESD

Features

> Metal free
> Full grain leather upper
> Abrasion resistant material used in the collar
> Lace-up system for secure fit
> TPU Abrasion resistant cuff nose / scuff cap
> Anti-perforation textile mid plate (APT)
> Composite toe cap
> Anti-bacterial polyester mesh lining and 3D EVA insole
> Reinforced heel support structure for extra support and durability
> Slip resistant sole
> Oil resistant sole
> Heat resistant sole up to 300 degrees Celsius
> Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight



GUARANTEED STOCK

Available colors and sizes:

Black *BL/BL
EU 37-48

Available on request:

Brown *BR/BR
EU 35-48

Anti-Perforation Midsole
Anti-Static Sole
Anti-Slip Sole
Anti-Shock Heel
Water Resistant Leather
Hydrocarbon Resistant Sole
Breathable Leather
Protective Toe Cap

Dapro Elements 3 C S3 C

PRODUCT CODE: FELE3CS3C-BL/BL*

Certification and Information

HR3CS3C

EN ISO 20345:2022
S3S FO SR HRO SC
EN 61340-5-1:2016
ESD

F2413-18
M/I/C
SD35/PR
F3445-21
SR

Oil	★★★★★	Traction	★★★★★
Heat	★★★★★	Comfort	★★★★★
Chemical	★★★★★	Non-marking	✔
Abrasion	★★★★★		

ESD

Features

> Metal free
> Full grain leather upper
> Lace-up system for secure fit
> Waterproof nylon zipper for easy step in/out with hook-and-loop closure on the inner side
> TPU Abrasion resistant cuff nose / scuff cap
> Anti-perforation textile mid plate (APT)
> Composite toe cap
> Anti-bacterial polyester mesh lining and 3D EVA insole
> Reinforced ankle and heel support structure for extra support and durability
> Slip resistant sole
> Oil resistant sole
> Heat resistant sole up to 300 degrees Celsius
> Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
> Energy absorption in the heel



GUARANTEED STOCK

Available colors and sizes:

Black *BL/BL
EU 37-47

Available on request:

Brown *BR/BR
EU 37-48

Anti-Perforation Midsole
Anti-Static Sole
Anti-Slip Sole
Anti-Shock Heel
Water Resistant Leather
Hydrocarbon Resistant Sole
Breathable Leather
Protective Toe Cap

Dapro Offshore C S7 C

PRODUCT CODE: FOFFCS7C-BL/BL*

Certification and Information

HR3CS7C

EN ISO 20345:2022
S7S FO SR HRO SC
EN 61340-5-1:2016
ESD

F2413-18
M/I/C
SD10/PR
F3445-21
SR

Oil	★★★★★	Traction	★★★★★
Heat	★★★★★	Comfort	★★★★★
Chemical	★★★★★	Non-marking	✔
Abrasion	★★★★★		

ESD

H_2O Barrier

Features

> Metal free
> Full grain leather upper
> Reflective piping for extra visibility in dark environments
> Lace-up system for secure fit
> Waterproof nylon zipper for easy step in/out with hook-and-loop closure on the inner side
> TPU Abrasion resistant cuff nose / scuff cap
> Waterproof membrane with mesh lining
> Anti-perforation textile mid plate (APT)
> Composite toe cap
> Anti-bacterial polyester mesh lining and 3D EVA insole
> Reinforced ankle and heel support structure for extra support and durability
> Slip resistant sole
> Oil resistant sole
> Heat resistant sole up to 300 degrees Celsius
> Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
> Energy absorption in the heel



GUARANTEED STOCK

Available colors and sizes:

Black *BL/BL
EU 37-47

Available on request:

Brown *BR/BR
EU 36-47

Anti-Perforation Midsole
Anti-Static Sole
Anti-Slip Sole
Anti-Shock Heel
Water Proof
Hydrocarbon Resistant Sole
Breathable Leather
Protective Toe Cap

Dapro Offshore C S7 C T400 Fur SubZero®

platinum range

PRODUCT CODE: FOFFCS7CT4S-BL/BL*

Certification and Information

HR3T4CS7C

CE

EN ISO 20345:2022
S7S FO SR HRO CI SC
EN 61340-5-1:2016
ESD

Oil	★★★★★	Traction	★★★★★
Heat	★★★★★	Comfort	★★★★★
Chemical	★★★★★	Non-marking	✔
Abrasion	★★★★★		

ESD

3M 400 GSM Thinsulate

H_2O Barrier

Features

- Metal free
- Full grain leather upper
- Reflective piping for extra visibility in dark environments
- Lace-up system for secure fit
- Waterproof nylon zipper for easy step in/out with hook-and-loop closure on the inner side
- TPU Abrasion resistant cuff nose / scuff cap
- Waterproof membrane
- 400 GSM 3M^{tm} Thinsulate
- Anti-perforation textile mid plate (APT)
- Composite toe cap
- Anti-bacterial polyester mesh lining and 3D EVA insole
- Reinforced ankle and heel support structure for extra support and durability
- Slip resistant sole
- Oil resistant sole
- Heat resistant sole up to 300 degrees Celsius
- Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- Energy absorption in the heel



3M
-40°C



Available colors and sizes:

Black *BL/BL
EU 38-48

Available on request:

Brown *BR/BR
EU 36-47

Anti-Perforation Midsole | Anti-Static Sole | Anti-Slip Sole | Anti-Shock Heel | Water Proof | Hydrocarbon Resistant Sole | Breathable Leather | Protective Toe Cap

Dapro Petromaster C S7 C

PRODUCT CODE: FPMACS7C-BL/BL*

Certification and Information

HR2CS7C

EN ISO 20345:2022
S7S FO SR HRO SC
EN 61340-5-1:2016
ESD

F2413-18
M/I/C
SD10/PR
F3445-21
SR

Oil	★★★★★	Traction	★★★★★
Heat	★★★★★	Comfort	★★★★★
Chemical	★★★★★	Non-marking	✔
Abrasion	★★★★★		

ESD

H_2O Barrier

Features

> Metal free
> Full grain leather upper
> Reflective piping for extra visibility in dark environments
> Fitgo lacing system for comfort and quick release
> TPU Abrasion resistant cuff nose / scuff cap
> Waterproof membrane with mesh lining
> Anti-perforation textile mid plate (APT)
> Composite toe cap
> Anti-bacterial polyester mesh lining and 3D EVA insole
> Reinforced ankle and heel support structure for extra support and durability
> Slip resistant sole
> Oil resistant sole
> Heat resistant sole up to 300 degrees Celsius
> Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
> Energy absorption in the heel



Available colors and sizes:

Black *BL/BL
EU 37-48

Available on request:

Brown *BR/BR
EU 36-47

Anti-Perforation Midsole
Anti-Static Sole
Anti-Slip Sole
Anti-Shock Heel
Water Proof
Hydrocarbon Resistant Sole
Breathable Leather
Protective Toe Cap

Dapro Driller C S3 C

PRODUCT CODE: FDRICS3C-BL/BL*

Certification and Information

HR4CS3C

EN ISO 20345:2022
S3S FO SR HRO SC
EN 61340-5-1:2016
ESD

F2413-18
M/I/C
SD10/PR
F3445-21
SR

Oil	★★★★★	Traction	★★★★★
Heat	★★★★★	Comfort	★★★★★
Chemical	★★★★★	Non-marking	✔
Abrasion	★★★★★		

ESD

Features

- Metal free
- Full grain leather upper
- Reinforced leather pull up loops for easier instep
- TPU Abrasion resistant cuff nose / scuff cap
- Anti-perforation textile mid plate (APT)
- Composite toe cap
- Anti-bacterial 3D EVA insole
- Reinforced heel support structure for extra support and durability
- Slip resistant sole
- Oil resistant sole
- Heat resistant sole up to 300 degrees Celsius
- Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- Energy absorption in the heel



Available colors and sizes:

Black *BL/BL	Brown *BR/BR
EU 39-47	*EU 39-47*

Anti-Perforation Midsole

Anti-Static Sole

Anti-Slip Sole

Anti-Shock Heel

Water Resistant Leather

Hydrocarbon Resistant Sole

Breathable Leather

Protective Toe Cap

Dapro Driller C S3 C

PRODUCT CODE: FDRICS3C-BR/BR*

Certification and Information

HR4CS3C

CE

EN ISO 20345:2022
S3S FO SR HRO SC
EN 61340-5-1:2016
ESD

ASTM INTERNATIONAL

F2413-18
M/I/C
SD10/PR
F3445-21
SR

Oil	★★★★★	Traction	★★★★★
Heat	★★★★★	Comfort	★★★★★
Chemical	★★★★★	Non-marking	✔
Abrasion	★★★★★		

ESD

Features

> Metal free
> Full grain leather upper
> Reinforced leather pull up loops for easier instep
> TPU Abrasion resistant cuff nose / scuff cap
> Anti-perforation textile mid plate (APT)
> Composite toe cap
> Anti-bacterial 3D EVA insole
> Reinforced heel support structure for extra support and durability
> Slip resistant sole
> Oil resistant sole
> Heat resistant sole up to 300 degrees Celsius
> Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
> Energy absorption in the heel



Available colors and sizes:

Black	*BL/BL	Brown	*BR/BR
EU 39-47		*EU 39-47*	

Anti-Perforation Midsole

Anti-Static Sole

Anti-Slip Sole

Anti-Shock Heel

Water Resistant Leather

Hydrocarbon Resistant Sole

Breathable Leather

Protective Toe Cap

Dapro Rigger C S3 C

PRODUCT CODE: FRIGCS3C-BL/BL*

Certification and Information

HR4CS3C

EN ISO 20345:2022
S3S FO SR HRO SC
EN 61340-5-1:2016
ESD

F2413-18
M/I/C
SD10/PR
F3445-21
SR

Oil	★★★★★	Traction	★★★★★
Heat	★★★★★	Comfort	★★★★★
Chemical	★★★★★	Non-marking	✔
Abrasion	★★★★★		

ESD

Features

> Metal free
> Full grain leather upper
> Reinforced leather pull up loops for easier instep
> TPU Abrasion resistant cuff nose / scuff cap
> Anti-perforation textile mid plate (APT)
> Composite toe cap
> Anti-bacterial polyester mesh lining and 3D EVA insole
> Reinforced ankle and heel support structure for extra support and durability
> Slip resistant sole
> Oil resistant sole
> Heat resistant sole up to 300 degrees Celsius
> Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
> Energy absorption in the heel



GUARANTEED STOCK

Available colors and sizes:

Black *BL/BL
EU 37-47

Available on request:

Brown *BR/BR
EU 36-47

Anti-Perforation Midsole
Anti-Static Sole
Anti-Slip Sole
Anti-Shock Heel
Water Resistant Leather
Hydrocarbon Resistant Sole
Breathable Leather
Protective Toe Cap

Dapro 3D Premium Comfort Insole

PRODUCT CODE: FHINS-NB*

Features

> This Dapro ergonomic insole is comfortable and suitable for all Dapro safety shoes / work shoes.



Available colors and sizes:

Navy Blue	*NB

EU 35-48

Dapro Various Laces



Dapro Round Brown Laces

PRODUCT CODE: 01-05-002

Features

> Sold in pairs
> Perfect for use in:
  - Dapro Baron S3 C
  - Dapro Noble S3 C
> Length: 130cm
> Type: Round



Dapro Round Black Laces

PRODUCT CODE: 01-05-003

Features

> Sold in pairs
> Perfect for use in:
  - Dapro Baron S3 C
  - Dapro Noble S3 C
> Length: 130cm
> Type: Round



Dapro Flat Brown Laces

PRODUCT CODE: 01-05-018

Features

> Sold in pairs
> Perfect for use in:
  - Dapro Dauntless S3 C
  - Dapro Dauntless S3 C Subzero® Fur
> Length: 130cm
> Type: Flat



Dapro Flat Black Laces

PRODUCT CODE: 01-05-016

Features

> Sold in pairs
> Perfect for use in:
  - Dapro Dauntless S3 C
  - Dapro Dauntless S3 C Subzero® Fur
> Length: 130cm
> Type: Flat

Available in colors:

Brown *BR/BR Black *BL/BL


dapro
FOOTWEAR MADE-TO-ORDER
VIEW ONLINE


Size guide Footwear

SHOE LENGTH (A)

EU	35	36	37	38	39	40	41	42	43	44	45	46	47	48
UK	2	3	4	4½	5½	6	6½	7½	8½	9	10	11	12	13
USA	3½	4	5	5½	6½	7	7½	8½	9½	10	11	12	13	14
IN	1	2	3	4	5	6	7	8	9	10	11	12	13	14
Mondopoint	217	225	232	240	247	255	262	270	277	285	292	300	307	315

SHOE WIDTH (B)

EU	35	36	37	38	39	40	41	42	43	44	45	46	47	48
D	83	85	87	89	91	93	95	97	99	101	104	106	108	110
E	86	88	90	92	94	96	98	100	102	104	106	109	111	113
EE	88	90	92	95	97	99	101	103	105	107	109	112	114	116
EEE	91	93	95	97	99	102	104	106	108	110	112	114	117	119
EEEE	93	95	97	99	102	105	107	109	111	113	115	117	120	122



Foot width (B) is measured with the subject standing barefoot and the weight of the body equally distributed on both feet. The size of the left and right foot is often slightly different - in this case measure both feet and the shoe size is based on the larger foot.

Mondopoint is based on the mean foot length (A) for which the shoe is suitable, measured in millimeters. The width of a foot (B) is also measured in millimeters.

When establishing your size, base it on your largest measurement.

Iconography


Anti-Slip


Anti-Shock Heel


Breathable Leather


Protective Toe Cap


Water Resistant Leather


Water Proof


Hydrocarbon Resistant Sole


Anti Perforation Midsole


Anti-Static Sole

Dapro Rigmaster C S7 C

PRODUCT CODE: FRMACS7C-BL/BL*

Certification and Information

HR4CS7C

EN ISO 20345:2022
S7S FO SR HRO SC
EN 61340-5-1:2016
ESD

F2413-18
M/I/C
SD10/PR
F3445-21
SR

Oil	★★★★★	Traction	★★★★★
Heat	★★★★★	Comfort	★★★★★
Chemical	★★★★★	Non-marking	✔
Abrasion	★★★★★		

ESD

H_2O Barrier

Features

> Metal free
> Full grain leather upper
> Reinforced leather pull up loops for easier instep
> TPU Abrasion resistant cuff nose / scuff cap
> Waterproof membrane with mesh lining
> Anti-perforation textile mid plate (APT)
> Composite toe cap
> Anti-bacterial polyester mesh lining and 3D EVA insole
> Reinforced ankle and heel support structure for extra support and durability
> Slip resistant sole
> Oil resistant sole
> Heat resistant sole up to 300 degrees Celsius
> Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
> Energy absorption in the heel

MOQ

> Minimum order quantity of 400 pairs

Available on request:

Black	*BL/BL	Brown	*BR/BR
EU 37-48		*EU 37-48*	



Anti-Perforation Midsole | Anti-Static Sole | Anti-Slip Sole | Anti-Shock Heel | Water Proof | Hydrocarbon Resistant Sole | Breathable Leather | Protective Toe Cap

Dapro Rigmaster C S7 C

PRODUCT CODE: FRMACS7C-BR/BR*

Certification and Information

HR4CS7C

EN ISO 20345:2022
S7S FO SR HRO SC
EN 61340-5-1:2016
ESD

F2413-18
M/I/C
SD10/PR
F3445-21
SR

Oil	★★★★★	Traction	★★★★★
Heat	★★★★★	Comfort	★★★★★
Chemical	★★★★★	Non-marking	✔
Abrasion	★★★★★		

ESD

H_2O Barrier

Features

> Metal free
> Full grain leather upper
> Reinforced leather pull up loops for easier instep
> TPU Abrasion resistant cuff nose / scuff cap
> Waterproof membrane with mesh lining
> Anti-perforation textile mid plate (APT)
> Composite toe cap
> Anti-bacterial polyester mesh lining and 3D EVA insole
> Reinforced ankle and heel support structure for extra support and durability
> Slip resistant sole
> Oil resistant sole
> Heat resistant sole up to 300 degrees Celsius
> Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
> Energy absorption in the heel

MOQ

> Minimum order quantity of 400 pairs

Available on request:

Black	*BL/BL	Brown	*BR/BR
EU 37-48		*EU 37-48*	



Anti-Perforation Midsole
Anti-Static Sole
Anti-Slip Sole
Anti-Shock Heel
Water Proof
Hydrocarbon Resistant Sole
Breathable Leather
Protective Toe Cap

Dapro Rigmaster C S7 C T400 Fur SubZero®

PRODUCT CODE: FRMACS7CT4S-BL/BL*

Certification and Information

HR4T4CS7C

EN ISO 20345:2022
S7S FO SR HRO CI SC
EN 61340-5-1:2016
ESD

F2413-18
M/I/C
SD10/PR
F3445-21
SR

Oil	★★★★★	Traction	★★★★★
Heat	★★★★★	Comfort	★★★★★
Chemical	★★★★★	Non-marking	✔
Abrasion	★★★★★		

ESD

3M 400 GSM Thinsulate

H_2O Barrier

Features

- Metal free
- Full grain leather upper
- Reinforced leather pull up loops for easier instep
- TPU Abrasion resistant cuff nose / scuff cap
- Waterproof membrane
- 400 GSM 3M™ Thinsulate
- Anti-perforation textile mid plate (APT)
- Composite toe cap
- Anti-bacterial polyester mesh lining and 3D EVA insole
- Reinforced ankle and heel support structure for extra support and durability
- Slip resistant sole
- Oil resistant sole
- Heat resistant sole up to 300 degrees Celsius
- Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- Energy absorption in the heel



MOQ

- Minimum order quantity of 400 pairs

Available on request:

Black	*BL/BL	Brown	*BR/BR
EU 37-48		*EU 37-48*	

Anti-Perforation Midsole | Anti-Static Sole | Anti-Slip Sole | Anti-Shock Heel | Water Proof | Hydrocarbon Resistant Sole | Breathable Leather | Protective Toe Cap

Dapro Rigmaster C S7 C T400 Fur SubZero®

PRODUCT CODE: FRMACS7CT4S-BR/BR*

Certification and Information

HR4T4CS7C

EN ISO 20345:2022
S7S FO SR HRO CI SC
EN 61340-5-1:2016
ESD

F2413-18
M/I/C
SD10/PR
F3445-21
SR

Oil	★★★★★	Traction	★★★★★
Heat	★★★★★	Comfort	★★★★★
Chemical	★★★★★	Non-marking	✔
Abrasion	★★★★★		

ESD

3M 400 GSM Thinsulate

H_2O Barrier

Features

- Metal free
- Full grain leather upper
- Reinforced leather pull up loops for easier instep
- TPU Abrasion resistant cuff nose / scuff cap
- Waterproof membrane
- 400 GSM 3M^{tm} Thinsulate
- Anti-perforation textile mid plate (APT)
- Composite toe cap
- Anti-bacterial polyester mesh lining and 3D EVA insole
- Reinforced ankle and heel support structure for extra support and durability
- Slip resistant sole
- Oil resistant sole
- Heat resistant sole up to 300 degrees Celsius
- Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- Energy absorption in the heel



MOQ

- Minimum order quantity of 400 pairs

Available on request:

Black	*BL/BL	Brown	*BR/BR
EU 37-48		*EU 37-48*	

Anti-Perforation Midsole | Anti-Static Sole | Anti-Slip Sole | Anti-Shock Heel | Water Proof | Hydrocarbon Resistant Sole | Breathable Leather | Protective Toe Cap

Dapro Petromaster C S7 C T400 Fur SubZero®

platinum range

PRODUCT CODE: FPMACS7CT4S-BL/BL*

Certification and Information

HR2T4CS7C

EN ISO 20345:2022
S7S FO SR HRO CI SC
EN 61340-5-1:2016
ESD

F2413-18
M/I/C
SD10/PR
F3445-21
SR

Oil	★★★★★	Traction	★★★★★
Heat	★★★★★	Comfort	★★★★★
Chemical	★★★★★	Non-marking	✔
Abrasion	★★★★★		

ESD

3M 400 GSM Thinsulate

H_2O Barrier

Features

- Metal free
- Full grain leather upper
- Reflective piping for extra visibility in dark environments
- Fitgo lacing system for comfort and quick release
- TPU Abrasion resistant cuff nose / scuff cap
- Waterproof membrane
- 400 GSM 3M^{tm} Thinsulate
- Anti-perforation textile mid plate (APT)
- Composite toe cap
- Anti-bacterial polyester mesh lining and 3D EVA insole
- Reinforced ankle and heel support structure for extra support and durability
- Slip resistant sole
- Oil resistant sole
- Heat resistant sole up to 300 degrees Celsius
- Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- Energy absorption in the heel



MOQ

- Minimum order quantity of 400 pairs

Available colors and sizes:

Black *BL/BL
EU 37-48

Available on request:

Brown *BR/BR
EU 36-47

Anti-Perforation Midsole | Anti-Static Sole | Anti-Slip Sole | Anti-Shock Heel | Water Proof | Hydrocarbon Resistant Sole | Breathable Leather | Protective Toe Cap

Dapro Offshore C S7 C

PRODUCT CODE: FOFFFCS7C-BE/BE*

Certification and Information

HR3CS7C

CE

EN ISO 20345:2022
S7S FO SR HRO SC
EN 61340-5-1:2016
ESD

Oil	★★★★★	Traction	★★★★★
Heat	★★★★★	Comfort	★★★★★
Chemical	★★★★★	Non-marking	✔
Abrasion	★★★★★		

ESD

H_2O Barrier

Features

- > Metal free
- > Full grain leather upper
- > Reflective piping for extra visibility in dark environments
- > Lace-up system for secure fit
- > Waterproof nylon zipper for easy step in/out with hook-and-loop closure on the inner side
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane with mesh lining
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel



MOQ

> Minimum order quantity of 400 pairs

Available on request:

Beige *BE/BE

EU 37-46

Anti-Perforation Midsole | Anti-Static Sole | Anti-Slip Sole | Anti-Shock Heel | Water Proof | Hydrocarbon Resistant Sole | Breathable Leather | Protective Toe Cap

Dapro Canyon C S3 C Laceless

PRODUCT CODE: FCANCS3CL-BL/BL*

Certification and Information

HR2CS3C

EN ISO 20345:2022
S3S FO SR HRO SC
EN 61340-5-1:2016
ESD

F2413-18
M/I/C
SD10/PR
F3445-21
SR

Oil	★★★★★	Traction	★★★★★
Heat	★★★★★	Comfort	★★★★★
Chemical	★★★★★	Non-marking	✔
Abrasion	★★★★★		

ESD

Features

> Metal free
> Full grain leather upper
> Fitgo lacing system for comfort and quick release
> TPU Abrasion resistant cuff nose / scuff cap
> Anti-perforation textile mid plate (APT)
> Composite toe cap
> Anti-bacterial polyester mesh lining and 3D EVA insole
> Reinforced heel support structure for extra support and durability
> Slip resistant sole
> Oil resistant sole
> Heat resistant sole up to 300 degrees Celsius
> Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
> Energy absorption in the heel

MOQ

> Minimum order quantity of 400 pairs

Available on request:

Black	*BL/BL	Brown	*BR/BR
EU 37-48		*EU 37-48*	



Anti-Perforation Midsole
Anti-Static Sole
Anti-Slip Sole
Anti-Shock Heel
Water Resistant Leather
Hydrocarbon Resistant Sole
Breathable Leather
Protective Toe Cap

Dapro Canyon C S3 C Laceless

PRODUCT CODE: FCANCS3CL-BR/BR*

Certification and Information

HR2CS3C

EN ISO 20345:2022
S3S FO SR HRO SC
EN 61340-5-1:2016
ESD

F2413-18
M/I/C
SD10/PR
F3445-21
SR

Oil	★★★★★	Traction	★★★★★
Heat	★★★★★	Comfort	★★★★★
Chemical	★★★★★	Non-marking	✔
Abrasion	★★★★★		

ESD

Features

> Metal free
> Full grain leather upper
> Fitgo lacing system for comfort and quick release
> TPU Abrasion resistant cuff nose / scuff cap
> Anti-perforation textile mid plate (APT)
> Composite toe cap
> Anti-bacterial polyester mesh lining and 3D EVA insole
> Reinforced heel support structure for extra support and durability
> Slip resistant sole
> Oil resistant sole
> Heat resistant sole up to 300 degrees Celsius
> Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
> Energy absorption in the heel

MOQ

> Minimum order quantity of 400 pairs

Available on request:

Black *BL/BL
EU 37-48

Brown *BR/BR
EU 37-48



Anti-Perforation Midsole
Anti-Static Sole
Anti-Slip Sole
Anti-Shock Heel
Water Resistant Leather
Hydrocarbon Resistant Sole
Breathable Leather
Protective Toe Cap

Dapro Chelsea Boot C S3

PRODUCT CODE: FCHECS3-BL/BL*

Certification and Information

HR2CS3

EN ISO 20345:2022
S3S FO SR HRO
EN 61340-5-1:2016
ESD

F2413-18
M/I/C
SD10/PR
F3445-21
SR

Oil	★★★★★	Traction	★★★★★
Heat	★★★★★	Comfort	★★★★★
Chemical	★★★★★	Non-marking	✔
Abrasion	★★★★★		

ESD

Features

> Metal free
> Full grain leather upper
> Reinforced pull up loop for easier instep
> Anti-perforation textile mid plate (APT)
> Composite toe cap
> Anti-bacterial polyester mesh lining and 3D EVA insole
> Slip resistant sole
> Oil resistant sole
> Heat resistant sole up to 300 degrees Celsius
> Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
> Energy absorption in the heel





MOQ

> Minimum order quantity of 400 pairs

Available on request:

Black	*BL/BL	Brown	*BR/BR
EU 37-48		*EU 37-48*	

Anti-Perforation Midsole
Anti-Static Sole
Anti-Slip Sole
Anti-Shock Heel
Water Resistant Leather
Hydrocarbon Resistant Sole
Breathable Leather
Protective Toe Cap

Dapro Chelsea Boot C S3

PRODUCT CODE: FCHECS3-BR/BR*

Certification and Information

HR2CS3

EN ISO 20345:2022
S3S FO SR HRO
EN 61340-5-1:2016
ESD

F2413-18
M/I/C
SD10/PR
F3445-21
SR

Oil	★★★★★	Traction	★★★★★
Heat	★★★★★	Comfort	★★★★★
Chemical	★★★★★	Non-marking	✔
Abrasion	★★★★★		

ESD

Features

> Metal free
> Full grain leather upper
> Reinforced pull up loop for easier instep
> Anti-perforation textile mid plate (APT)
> Composite toe cap
> Anti-bacterial polyester mesh lining and 3D EVA insole
> Slip resistant sole
> Oil resistant sole
> Heat resistant sole up to 300 degrees Celsius
> Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
> Energy absorption in the heel

MOQ

> Minimum order quantity of 400 pairs

Available on request:

Black	*BL/BL	Brown	*BR/BR
EU 37-48		*EU 37-48*	



Anti-Perforation Midsole
Anti-Static Sole
Anti-Slip Sole
Anti-Shock Heel
Water Resistant Leather
Hydrocarbon Resistant Sole
Breathable Leather
Protective Toe Cap

Dapro Elements 1 C S3 C

PRODUCT CODE: FELE1CS3C-BL/BL*

Certification and Information

HR1CS3C

CE

EN ISO 20345:2022
S3S FO SR HRO SC
EN 61340-5-1:2016
ESD

F2413-18
M/I/C
SD10/PR
F3445-21
SR

Oil	★★★★★	Traction	★★★★★
Heat	★★★★★	Comfort	★★★★★
Chemical	★★★★★	Non-marking	✔
Abrasion	★★★★★		

ESD

Features

> Metal free
> Full grain leather upper
> Abrasion resistant material used in the collar
> Lace-up system for secure fit
> TPU Abrasion resistant cuff nose / scuff cap
> Anti-perforation textile mid plate (APT)
> Composite toe cap
> Anti-bacterial polyester mesh lining and 3D EVA insole
> Reinforced heel support structure for extra support and durability
> Slip resistant sole
> Oil resistant sole
> Heat resistant sole up to 300 degrees Celsius
> Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight

MOQ

> Minimum order quantity of 400 pairs

Available on request:

Black	*BL/BL	Brown	*BR/BR
EU 37-48		*EU 37-48*	





Anti-Perforation Midsole

Anti-Static Sole

Anti-Slip Sole

Anti-Shock Heel

Water Resistant Leather

Hydrocarbon Resistant Sole

Breathable Leather

Protective Toe Cap

Dapro Elements 1 C S3 C

PRODUCT CODE: FELE1CS3C-BR/BR*

Certification and Information

HR1CS3C

EN ISO 20345:2022
S3S FO SR HRO SC
EN 61340-5-1:2016
ESD

F2413-18
M/I/C
SD10/PR
F3445-21
SR

Oil	★★★★★	Traction	★★★★★
Heat	★★★★★	Comfort	★★★★★
Chemical	★★★★★	Non-marking	✔
Abrasion	★★★★★		

ESD

Features

> Metal free
> Full grain leather upper
> Abrasion resistant material used in the collar
> Lace-up system for secure fit
> TPU Abrasion resistant cuff nose / scuff cap
> Anti-perforation textile mid plate (APT)
> Composite toe cap
> Anti-bacterial polyester mesh lining and 3D EVA insole
> Reinforced heel support structure for extra support and durability
> Slip resistant sole
> Oil resistant sole
> Heat resistant sole up to 300 degrees Celsius
> Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight

MOQ

> Minimum order quantity of 400 pairs

Available on request:

Black *BL/BL
EU 37-48

Brown *BR/BR
EU 37-48



Anti-Perforation Midsole
Anti-Static Sole
Anti-Slip Sole
Anti-Shock Heel
Water Resistant Leather
Hydrocarbon Resistant Sole
Breathable Leather
Protective Toe Cap

Dapro Commissioner Slip On C S3

PRODUCT CODE: FCOSCS3-BL/BL*

Certification and Information

HR1CS3

CE

EN ISO 20345:2022
S3S FO SR
EN 61340-5-1:2016
ESD

Oil	★★★★★	Traction	★★★★★
Heat	★★★★★	Comfort	★★★★★
Chemical	★★★★★	Non-marking	✔
Abrasion	★★★★★		

ESD

Features

> Metal free
> Full grain leather upper
> Reinforced pull up loop for easier instep
> TPU Abrasion resistant cuff nose / scuff cap
> Anti-perforation textile mid plate (APT)
> Composite toe cap
> Anti-bacterial polyester mesh lining and 3D EVA insole
> Slip resistant sole
> Oil resistant sole
> Heat resistant sole up to 160 degrees Celsius
> Anti-static ESD PU/PU light weight sole for comfort
> Energy absorption in the heel





MOQ

> Minimum order quantity of 400 pairs

Available on request:

Black	*BL/BL	Brown	*BR/BR
EU 37-47		*EU 37-47*	

Anti-Perforation Midsole
Anti-Static Sole
Anti-Slip Sole
Anti-Shock Heel
Water Resistant Leather
Hydrocarbon Resistant Sole
Breathable Leather
Protective Toe Cap

Dapro Commissioner Slip On C S3

PRODUCT CODE: FCOSCS3-BR/BR*

Certification and Information

HR1CS3

CE

EN ISO 20345:2022
S3S FO SR
EN 61340-5-1:2016
ESD

Oil	★★★★★	Traction	★★★★★
Heat	★★★★★	Comfort	★★★★★
Chemical	★★★★★	Non-marking	✔
Abrasion	★★★★★		

ESD

Features

> Metal free
> Full grain leather upper
> Reinforced pull up loop for easier instep
> TPU Abrasion resistant cuff nose / scuff cap
> Anti-perforation textile mid plate (APT)
> Composite toe cap
> Anti-bacterial polyester mesh lining and 3D EVA insole
> Slip resistant sole
> Oil resistant sole
> Heat resistant sole up to 160 degrees Celsius
> Anti-static ESD PU/PU light weight sole for comfort
> Energy absorption in the heel





MOQ

> Minimum order quantity of 400 pairs

Available on request:

Black	*BL/BL	Brown	*BR/BR
EU 37-47		*EU 37-47*	

Anti-Perforation Midsole
Anti-Static Sole
Anti-Slip Sole
Anti-Shock Heel
Water Resistant Leather
Hydrocarbon Resistant Sole
Breathable Leather
Protective Toe Cap

Dapro Commissioner C S3

PRODUCT CODE: FCOMCS3-BL/BL*

Certification and Information

HRICS3

CE

EN ISO 20345:2022
S3S FO SR SC
EN 61340-5-1:2016
ESD

Oil	★★★★★	Traction	★★★★★
Heat	★★★★★	Comfort	★★★★★
Chemical	★★★★★	Non-marking	✔
Abrasion	★★★★★		

ESD

Features

> Non-magnetic
> Full grain leather upper
> Lace-up system for secure fit
> TPU Abrasion resistant cuff nose / scuff cap
> Anti-perforation textile mid plate (APT)
> Composite toe cap
> Anti-bacterial polyester mesh lining and 3D EVA insole
> Slip resistant sole
> Oil resistant sole
> Heat resistant sole up to 160 degrees Celsius
> Anti-static ESD PU/PU light weight sole for comfort
> Energy absorption in the heel





MOQ

> Minimum order quantity of 400 pairs

Available on request:

Black	*BL/BL	Brown	*BR/BR
EU 37-47		*EU 37-47*	

Anti-Perforation Midsole
Anti-Static Sole
Anti-Slip Sole
Anti-Shock Heel
Water Resistant Leather
Hydrocarbon Resistant Sole
Breathable Leather
Protective Toe Cap

Dapro Commissioner C S3

PRODUCT CODE: FCOMCS3-BR/BR*

Certification and Information

HRICS3

CE

EN ISO 20345:2022
S3S FO SR SC
EN 61340-5-1:2016
ESD

Oil	★★★★★	Traction	★★★★★
Heat	★★★★★	Comfort	★★★★★
Chemical	★★★★★	Non-marking	✔
Abrasion	★★★★★		

ESD

Features

> Non-magnetic
> Full grain leather upper
> Lace-up system for secure fit
> TPU Abrasion resistant cuff nose / scuff cap
> Anti-perforation textile mid plate (APT)
> Composite toe cap
> Anti-bacterial polyester mesh lining and 3D EVA insole
> Slip resistant sole
> Oil resistant sole
> Heat resistant sole up to 160 degrees Celsius
> Anti-static ESD PU/PU light weight sole for comfort
> Energy absorption in the heel





MOQ

> Minimum order quantity of 400 pairs

Available on request:


Black	*BL/BL	Brown	*BR/BR
EU 37-47		*EU 37-47*	

Anti-Perforation Midsole
Anti-Static Sole
Anti-Slip Sole
Anti-Shock Heel
Water Resistant Leather
Hydrocarbon Resistant Sole
Breathable Leather
Protective Toe Cap

GUARDIAN® TEXTILES

A special Guardian® flame-retardant, breathable and waterproof membrane is attached to a Guardian® Polyester Outer Shell. A seperate flame-retardant lining ensures a comfortable soft touch and warmth. It is possible to combine this construction with SubZero® insulation, which keeps the body dry and warm in even the most extreme conditions.

Anti-static fabric technology



Guardian® anti-static fiber is a multi-filament bi-component yarn. Each filament has a unique conductioning core surrounded by a sheat of fibers. It has been designed to provide optimal anti-static protection in grounded and ungrounded environments according to end-use specifications. Most of our competitors supply anti-static garments which only comply to EN 1149-5. Dapro garments are certified and compliant to EN 1149-5 and to the most stringent anti-static standard called 'The Gasprobe Test'. This standard tests the garment in both ungrounded situations and real-world scenarios, such as standing in oil or being suspended by a fall arrest system.


LENZING™ for Protective Wear

Some Guardian® textiles feature LENZING™ FR fibers, a sustainably produced inherently flame-resistant cellulosic fiber. Developed through the renowned Modal production process, this fiber can be engineered to comply with all relevant global standards for protective wear.

All Guardian® textiles comply with Oeko-tex Standard 100.

OEKO TEX® STANDARD 100

FLAME-RETARDANT NANO TECHNOLOGY



www.guardian-textiles.com

SUBZERO INSULATION

SubZero insulation is an intermeshed polyester or fur material, depending on the type of product, which forms a mass of fiber to trap air in between the outerlayer of the garment/shoe and your body.

This **breathable high resilient** and **loft** material provides **durable warmth** retention with **light weight** properties for extra **freedom of movement** and **comfort**.

The perfect combination to use in protective workwear developed to work in hazardous environments.

SubZero is odorless, non allergenic, machine washable and dryable.

PROPERTIES	WEIGHT	WARMTH
SUBZERO INSULATION	*150 GSM*	
SUBZERO INSULATION	*250 GSM*	
SUBZERO INSULATION	*300 GSM*	

www.subzero-insulation.com

3M

3M applies science and innovation to make a real impact by igniting progress and **inspiring innovation** in lives and communities across the globe.

www.3m.com

YKK

The **YKK Fastening Products Group** is trusted world-wide for their **impeccable production standards** and **thorough quality control processes** for zippers,buttons and more.

www.ykkfastening.com

prolux®

adapts brilliantly

RETRO-REFLECTIVE
450 cd/lx m² @ Observation Angle 12''/entrance angle 5°

COMPOSITION:
Glass bead 30% / Resin 30% / Highly durable FR backing cloth 30% / Other materials 10%

Prolux reflective striping is specifically developed for industrial **workwear** and **outerwear**.

Visibility in dark and hazardous environments greatly reduces the risk of accidents. This can be on railways, roads, construction areas or industrial areas.

Aside from its **exceptional** reflective properties, our product offers great **durability** with **industrial** laundering.

www.prolux-reflective.com


dapro
Your safety is
our number one priority,
Your life depends on it.
dapro
www.dapro-safety.com
rfq@yoursafety.biz